OXFORD Business English

English for Aviation

for Pilots and Air Traffic Controllers


Sue Ellis Terence Gerighty

EXPRESS SERIES





OXFORD



English for **Aviation**

for Pilots and Air Traffic Controllers

EXPRESS SERIES

Sue Ellis & Terence Gerighty





Contents

PAGE	UNITTITLE	TOPICS	USEFUL LANGUAGE AND STRUCTURES
5	Introduction to air communications	Setting the scene Basics of radio communication Introduction to non-routine situations	ICAO alphabet and numbers Asking for repetition Questions and short answers Talking about imaginary situations
13	2 Pre-flight	Pre-flight checks Delays and problems Local conditions	Asking for more time Giving a reason Saying what you're going to do Saying there's a problem
21	Ground movements	Airport markings and airside vehicles Taxiing and holding Weather problems	Permission, obiligation, prohibition Explaining problems Saying a problem has been solved
29	4 Departure, climbing, and cruising	Take-off Encountering traffic Warnings about hazards	Checking and asking for an alternative Using prepositions of position Saying how much Warnings and requests Time expressions Giving reasons
37	5 En route events	Operational situations Unusual events Medical situations	Comparing things Talking about probability
45	6 Contact and approach	Descent Circuit joining Approach and landing problems	Talking about time Explaining changes in plans Talking about cause and effect Requests
53	7 Landing	Landing incidents Runway conditions Landing hazards	Reported speech Making suggestions Offering help Giving advice or opinions
61	On the ground	Taxiing Getting to the gate Clear communctation	Explaining what happened Saying what will happen

	46.96	DOM: NO.	THE REAL
PAGE	AP	PFN	KIDIX
L LANGE	2.02	E David	B Sec. Lat.

68	Test yourself!
70	Partner Files
74	Answer key
84	Transcripts

About the book

English for Aviation has been developed specifically for people who work in the aviation industry and need to comply with the International Civil Aviation Organization's (ICAO's) language proficiency requirements. It supports standard phraseology and builds upon it to help improve plain English in the skill areas specified by ICAO: pronunciation, structure, vocabulary, fluency, comprehension, and interactions.

English for Aviation covers a range of subjects associated with flying and the aviation industry. The book is organized in the sequence of a flight, starting with an introductory unit, followed by pre-flight, ground movements, departure, cruising, en route events, contact and approach, landing, and end-of-flight ground movements. Pilots and air traffic controllers will find the book useful for improving their plain English, but anyone working in aviation – ground staff, emergency services, or administrators, for example – who wants to improve their English ability will benefit from English for Aviation. Units from the book work independently and can be selected according to the needs and interests of the course participants. English for Aviation is also ideal for self-study.

Each unit begins with a **Starter**, which consists of a short exercise or a quiz and serves as an introduction to the topic of the unit. Practical exercises, listening extracts, industry-specific texts as well as numerous photos and illustrations help you to acquire key vocabulary and expressions. Realistic role-plays give you the opportunity to put all you have learned into practice. Each unit closes with an **Output** activity, an article related to the topic of the unit followed by questions for reflection and discussion. The book finishes up with a fun quiz to **Test yourself!** on some of the facts and figures discussed over the previous eight units.

English for Aviation is accompanied by two disks. The Audio CD contains all the listening for the book. The Audio CD can be played through the audio player on your computer, or through a conventional CD player. The CD ROM contains interactive exercises to practise structure, vocabulary, and listening comprehension. There is also an A-Z word list with all the key words that appear in the book. Visit www.oup.com/elt/express for ICAO compliancy practice tests.

In the appendix of **English for Aviation** you will find the **Partner Files** for the role-plays, and the **Answer key** so that you can check your own answers if you are working alone. There are also **Transcripts** of the listening extracts.



Introduction to air communications

STARTER

Use arrows (←>) to link the people who talk to each other.

PILOT G-SC27





CABIN CREW FLIGHT 71









CO-PILOT FLIGHT 71



PASSENGERS FLIGHT 71

AUDIO

COMPREHENSION

Air communications are vital for the safety of air travel. Listen to the two exchanges and answer the questions.

- 1 a Which stand is 363 on?
 - b Where does the controller think 363 is?
 - c Which numbers and letters are incorrectly pronounced?
- 2 a Which flight level is X7420 climbing to?
 - b What is the altitude of X7420?
 - c What two words does the controller confuse?

Look at the six language areas on page 2. Listen again to the two exchanges and look at the transcripts on page 84. Find an example of a difficulty with each language area.

Discuss these questions with a partner.

- 1 Have you had any similar experiences?
- 2 What communication problems have you had when talking to foreign pilots or controllers?

P

PRONUNCIATION



2 Listen and repeat.

1	Alpha	K	Kilo	U	Uniform	
3	Bravo	L	Lima	V	Victor	
-	Charlie	M	Mike	W	Whiskey	
)	Delta	N	November	X	X-ray	
	Echo	0	Oscar	Y	Yankee	
	Foxtrot	Р	Papa	Z	Zulu	
ì	Golf	Q	Quebec			
1	Hotel	R	Romeo			
	India	S	Sierra			
	Juliett	Т	Tango			
	zero	4	<u>fo</u> wer	8	alt	
	wun	5	fife	9	niner	
	too	6	six			
	tree	7	<u>sev</u> en			
00	tree (hundred) <u>hun</u> dred o (thousand) <u>tou</u> sand ecimal) <u>day</u> seemal	7	<u>sev</u> en			

British CAA

ICAO/Global

FL 100 = flight level one hundred

FL 100 = flight level one

zero zero



3 Listen to the sample message and repeat.

London Control, Express 164. Flight Level 100. Heading 345. ETA Belfast 0839.

INTERACTIONS

Work with a partner to pass and record messages. If you aren't sure about the message, ask for clarification. Repeat Say again until you have understood.

ASKING FOR REPETITION		
Repeat entire message Say again.	Partner A Partner B	



Listen and check. Then compare what you wrote with the information your partner read.

STRUCTURE

QUESTIONS AND SHORT ANSWERS

Are you on stand C63 or C61? Is the radio on the correct frequency? Have you set the QNH? Has the weather improved? Do you have the flight plan? Do you know where John is? Did the bird strike cause any damage? I'm/We're on stand C61. Yes, it is./No, it isn't. Yes./Yes, I have./No, I haven't. Yes, it has./No, it hasn't. Yes, I've got it here./No. I don't. Yes, I do./No, I don't. Yes, it did./No, it didn't.

4 Put the words in the right order to make questions. Then answer them.

- 1 you a a controller pilot Are or?
- 2 speak other languages you Do any?
- 3 abroad ever you been Have?
- 4 plane travel last When by you did?
- 5 your provide training company courses English Does?
- 6 English in minutes the ten your last improved Has?

American English airplane

British English aeroplane

FLUENCY

Match the two parts of the sentences to make six reasons why international communications may be difficult.

- 1 ATCOs and pilots may speak
- 2 There may be very poor reception
- 3 Extra and unnecessary
- 4 ATCOs or pilots may sometimes
- 5 Non-routine situations have little
- 6 ATCOs or pilots may not understand
- a English words are used.
- b in their own language.
- c or no standard phraseology.
- d on the radio.
- e use plain English.
- f standard English phraseology.



6

Listen to five exchanges. Write the number of the exchange next to the description below. Then tick how often you expect to hear each of these in your work. Then discuss your answers with a partner.

	always	often	usually	some- times	occasionally	rarely	never
a standard phraseology							
b non-standard phraseology							
c unnecessary English words	; 📮	-					
d plain English							
elocal language							



7 Listen to the exchange as a long haul flight approaches its destination. Answer the questions.

- 1 What is the main communication problem?
 - 2 How did the pilot try to help the controller understand?
 - 3 How did the controller deal with the situation?



VOCABULARY

8 Listen again. From each pair of words, tick the word you hear.

1	violent	vibration	5	aggressive	angry
2	rude	unruly	6	ground	around
3	hit	hate	7	services	service
4	drink	drunk	8	remain	remove

9		nat is the problem on board the aircraft? Use words you have selected in excercise 8 to make itences:
	1	The passenger was,, and
	2	The passenger a crew member.

Have you ever had a difficult communication? What did you do?

3 The pilot wanted to get on the ______ as soon as possible.

Yes, I have. I had a medical emergency. The pilot asked for ... The controller asked me to ... No. I haven't.

10 Use words from exercise 6 to complete the article.

SAFETY SENSE

Dealing with non-routine events

event, but he will E	phraseology for a non-routine have to use highish. In this event he had to use phraseology but tried to assist high any highest several different words with	
	was good, but the controller could n dealt with domestic flights and	ot understand the problem as he
		rollers as they get little practice with
	10 speak to local	
language. A non-Englis		be alone in this situation and help will
	DO avallable.	

Answer the questions.

- 1 How often do you use English for your job?
- 2 How often do you speak English to:
 - a non-native speakers?
 - b native English speakers?
- 3 How often do you listen to the radio or watch TV in English?
- 4 What is your best English skill: listening, speaking, reading, or writing? Which would you most like to improve?
- 5 Have you ever had difficulty trying to speak English? What was the outcome?

PHRASAL VERBS

Phrasal verbs have two parts. The meaning may be clear from the two parts:

Please come in and sit down.

The meaning may not be clear from the two parts: Did the tanker break down?

11 Complete the two exchanges with the words in the box.

chec	k out • keep up • stays up • get bad	ck • come in • get to • pass over	
Excha	nge 1		
ATC	Wolfair 60, good morning. Identified.	Proceeding into Alba. Vectoring 05.	
Pilot	Direct Alba 05. Wolfair 60. Can I		
	this high speed a bit longer? Wolfair 6	60.	
ATC	Wolfair 60, for the time being, yes. I'll	to you in a minute.	
Excha	nge 2		
ATC		ntentions are for the main landing gear?	
Pilot		in, but if I'm still unable to release the nose	gear – if it
ATC		4 for a low pass? We can	5 vour
, , , ,	landing gear when you		
Pilot	OK, roger. B67.	-	
ATC	B67, have you got the field in sight?		
Pilot		you the gear should be down. B67.	
ATC	B67, roger. OK, make a low pass over		
Lietor	and chack		

12 Find words or phrases in the exchanges with the same meaning as these words.

- 1 attempt
- 2 Can you see the airport?
- 3 fly low over the runway
- 4 a little more time
- 5 now and for a few minutes

- 6 tell me
- 7 inspect
- 8 Request permission ...
- 9 Would you like to ...?
- 10 You are on my radar screen.

FLUENCY

13 Underline the plain English phrases in exercise 11. Then answer the questions for each exchange.

Exchange 1

- 1 Are the plain English phrases necessary?
- 2 What does the controller agree to?
- 3 Can you replace the plain English with correct phraseology?

Exchange 2

- 1 Which gear is a problem?
- 2 What does the controller suggest?
- 3 What will the pilot do if the problem remains?

14 What would you do in these situations? Compare your ideas with a partner.

Situation 1

At a foreign airport you are the pilot of a passenger jet waiting to take off from runway 09. You are number two to depart. An inbound A320 lands on runway 09 and aircraft number one ahead of you departs. All communications between the pilots and ATC are in the local language. You believe you heard wind shear and high wind speeds mentioned. You are now cleared, in English, to line up and take off. ATC do not mention wind shear.



Situation 2

You are an approach controller in a busy airport. An incoming English-speaking pilot has requested a priority landing for a heavy aircraft. He has repeated the request but you still cannot understand the reason.

Situation 3

You are the pilot of a passenger aircraft approaching runway 18. You were cleared for ILS approach and had instructions to continue. You made calls at the outer marker and 2 nautical miles but received no reply. You are now at 500 feet and see a light aircraft in the one o'clock position at the same level, passing right to left. You have heard communications in the local language.



Situation 4

You are an approach controller and have twice issued instructions to an approaching B757 but have had no response. The plane is at the outer marker and appears to be on course for landing as instructed.

TALKING ABOUT IMAGINARY SITUATIONS

I would ask about wind shear. I would give permission to land.

In each case what would you say to deal with the situation?

15 Think of a situation in your experience where there was confusion or a misunderstanding.

- Who was involved?
- 2 What was the problem?
- How was it resolved?

OUTPUT

Read the report and answer the questions,

DESCENT CONFUSION

An airliner had to divert to an alternate airport because of engine problems. The pilot did not declare an emergency but requested a descent to 2000 feet in order to re-start the engine. The plane had also lost pressurisation but the pilot was unable to explain this to ATC. Controllers were concerned that the pilot wanted to descend so low but were unable to make the pilot understand their questions. They then asked 'Can you just advise me - are you descending to use fuel?'



The flight crew misinterpreted this as 'Do you have enough fuel?' and replied 'Yes, yes. We are descending with fuel enough and everything is OK'. Because the pilot had not understood the question, the reply confused the controller even more.

Fortunately, the controller guessed there was an emergency and the aircraft was put on a 7700 squawk. He transferred the aircraft to its own frequency. The aircraft landed safely but the poor understanding and communication from the pilot was reported to the authorities.


Do you know any stories of a plane making a rapid descent following depressurization? What happened?

Have you experienced a pilot needing to use fuel before landing? What was the situation?

Pre-flight

STARTER

It is important for controllers and pilots to be able to identify an aircraft type so they know what it is capable of. How many of these aircraft can you identify?



VOCABULARY


Match the words to make plane parts. Can you find all of the parts in the pictures above?

A		В		C	
1 tail	a door	1 trailing	a light	1 under	a edge
2 cargo	b assembly	2 access	b hatch	2 landing	b light
3 engine	c cowling	3 navigation	c edge	3 leading	c carriage

2 Use the words in the box to label the picture below.

			•
a	nose	j	rudder
b	windscreen	k	elevator
C	aerial	1	tail fin
d	aileron	m	tyre
е	spoiler	n	engine
f	flap	0	emergency exit
g	slat	р	radome
h	winglet	q	light

American English
antenna
tire
windshield
vertical stabilizer
horizontal stabilizer




FLUENCY

3 Unscramble the words in brackets to complete the description of a pre-flight check.

Pre-flight		
Before flying, the pilot carefull	y (khcecs)	the aircraft. He looks at the
external (causrfes)	a for signs of c	damage. A plane may be damaged by a
bird (ritske)	or (gnilghtin)	strike or contact with any
other (gorfein)	object, or by serv	rice (sveichle) on the
ground, Bent or distorted pane to the airfr		idication of hidden (madgae)
He then checks the nose (crur		for excessive (arew)
He inspects the (deliagn)	™ edge	of the wing for damage and checks
the fastenings on the (eeginn)	11	cowling. He examines the visible fan
(sladeb) so or	the engines.	
Moving along the (slegeafu) over all surfaces before ensuri (stacheh)	ng that all cargo (rod	e tail he does the same visual checks dos)and access

4 Pre-flight checks continue on the flight deck. Name as many items as you can in these pictures.



5 Match the sentence halves. Then match each sentence to a picture above.

- 1 Certificates and other documents must
- 2 Documentation for any unusual cargo or
- 3 Instruction manuals may be needed for
- 4 Oxygen bottles, medical kit, and other
- 5 Checklists ensure nothing
- 6 A security search ensures no suspicious
- a equipment are safely stowed away.
- b be carried on the flight.
- c dangerous substances must be checked.
- d gets missed from the routine procedures.

American English

flashlight

e troubleshooting if a fault occurs.

British English

f items have been smuggled on board.

6 List items which the aircraft must carry on each flight. Which items must the aircraft not carry?

VOCABULARY

7 Find words in exercise 5 to match the meanings below.

- 1 finding and correcting a fault
- 2 items for emergency medical treatment
- 3 materials that cause harm
- 4 operations carried out regularly
- 5 packed/stored in a tidy way
- 6 brought secretly

Look again at the pictures in exercise 4. Answer the questions.

picture A Why are these books carried on the flight?

picture B When/how would the items in the picture be used?

picture C What precautions are taken at airports to keep prohibited items off planes?

picture D What documents may be carried on the flight?

picture E Can you give an example of a load that requires a NOTOC?

picture F In your experience, what problem found on a pre-flight check has delayed departure?

AUDIO 9

COMPREHENSION

8 Listen to the two exchanges. Answer the questions.

- 1 Which one uses plain English? Which one uses standard phraseology?
- 2 Why is plain English used?

9 Choose the best ATC responses to complete each exchange.

Exchange 1

- a Sorry you're totally unreadable.
- b Say again, calling.
- Ground, Speedbird 305 radio check box 1 on 119.4.

 \$\int \text{ Speedbird 305. I want to do a radio check on box 1. 119.4, please.} \tag{1} 2___

Exchange 2

- a Fedex 36, go ahead, sir.
- b Fedex 36 no, it's fine sir. You don't need any documents for Malaysia now.
- c Fedex 36, no sir. There's no special documentation needed.
- → Er, yes. Ground, I want to check on the load today. Fedex 36.
 → I've got a quantity of aerosols for insect spraying. They're OK, but I've got a live snake on board, and there's no documentation. Fedex 36.
 → You're sure? Won't I need documents on arrival in Kuala
 ↓ Lumpur? Fedex 36.

Exchange 3

- a B344, my apologies. The computer has failed again so that's obviously the reason.
- b OK er B344. I have your flight plan. Start up approved. The temperature is plus 17.
- c Sorry B344. I've no flight plan for B344. Stand by. I'll check you out.
- d B344, stand by. I'll get back to you very shortly.
- Ground, request start-up, B344.

 Ground, the plan was filed a couple of hours ago. B344.

 While we're waiting for our clearance, is there a clear area we can taxi to? I want to do a run-up. B344.



Listen and check your answers. Then answer the questions,

- 1 In exchange 1, what problem does the pilot have?
- 2 In exchange 2, why was the pilot concerned?
- 3 In exchange 3, did the pilot file his flight plan on time? Why does he have to wait?

PRONUNCIATION

10 Put the words in the correct column.

cargo • control • unload • problem • something • pitot • delay

Listen and check your answers.

INTERACTIONS

11 Work with a partner. Look at the pictures. Ask ATC for a delay in start up. Explain why.

USEFUL PHRASES

Asking for more time Can we have more time?

Can we delay until 05? We need 20 minutes.

Giving a reason

We have a problem with the cargo door.

There's something wrong with the conveyor belt.

Saying what you're going to do

We're going to try to fix it. We're going to unload the plane.







You are a controller. Give advice to the pilot.

USEFUL PHRASES

Saying there's a problem.

Speedbird 267, departure delayed until 25. Cessna 945, check your pitot cover. KE242, I can see a hatch open.

Requesting action

Can someone move the chocks, please? Is someone going to clean that up?









12 Work with a partner to practise an exchange between a transatlantic pilot and a controller.

COMPREHENSION

13 What items do you normally hear in an ATIS (Automatic Terminal Information Service) broadcast? Make a list.



14 Listen to the ATIS broadcast. Choose the correct answer to each question.


1	What was the ATIS identifier letter?	5	What was the QNH setting?
	a Z		a 997 hPa
	b S		b 987 hPa
	c H		c 1027 hPa
	d R		d 1007 hPa
***		**********	
:	When was the message broadcast?	6	
	a 1510		a 22 left
	b 1755		b 22 right
	C 1515		c 23 left
	d 1715		d 23 right
	What was the direction of the wind?	DO FR IN	Which runway was closed?
	a 230 degrees	/	a 29
	b 160 degrees		b 28
			c 18
	c 210 degrees		
	d 260 degrees		d 19
	What height is the lowest cloud?	8	What local hazard was mentioned?
	a 3500 feet		a Ice on runway
	b 2600 feet		b Workman close to runway
	c 3900 feet		c Birds in the area
	d 2500 feet		d Runway 22 closed

15 Listen to the ATIS broadcast. Complete the form.

Airport	1	e company is an entrepresentation
ATIS information identif	fier letter	2
Time of report	series apart 3	360
		315
Wind direction/speed		
Visibility	5	270
Ceiling	6	270
Temperature	. 7	
Dew point		225
	A TOP IN THE COMMISSION OF THE PROPERTY OF THE PROPERTY OF THE PARTY O	180 Sketch wind direction
ONH	on guarante to have mine	
Instrument approach and	runways in use	10
NOTAMO	to the bar took of the bar of the	

VOCABULARY

16 Other broadcasts may contain more information on local conditions. Match the words to the



message 5 _____

17 Listen. Match each message to a picture above.

message	1	message	3	
message	2	message	4	-

Read the article and answer the questions.

My first long-haul flight was cancelled

As a flight attendant, I'd flown short haul many times, but this was my first long haul flight. I was quite excited – so it was a bit of a shame that we never even got off the ground!

The captain had just started up—
I went onto the flight deck for a minute, and as I opened the door, all the instruments were going crazy—
flickering and flashing on and off. There was a funny noise, too. A sort of crackling sound. I didn't know what



was going on, so I made a quick exit back to the cabin. Then, a few seconds later the smoke alarms went off. Nobody did anything at first – there was no smoke, so we just carried on getting everything ready for the safety announcements.

The chief steward went up to the flight deck though, and as soon as he opened the door, there was a sort of electrical burning smell. It was faint, but it was definitely something burning.

That's when it was obvious this wasn't a false alarm. The engines were shut down immediately. The chief steward came back and told us that both the ground crew and ATC had seen smoke coming from the plane.

The captain calmly taxied us back to a nearby stand and we got the passengers off as quickly as possible. It all worked really well. No one panicked. The fire service arrived straightaway and did a thorough check. Apparently they found quite a lot of damage from electrical arcing. We were very lucky that there hadn't been a fire.

OVER TO YOU


Name another safety feature which could prevent a minor incident becoming a disaster. What is the manufacturer likely to do after this incident? Have you heard of similar incidents on other aircraft?

3

Ground movements

STARTER

Look at the signals and signs. Where do you find them? Can you say what they mean?



Match the signs and signals above with the names below.

- 1 centre line marking
- 2 runway taxi holding position
- 3 runway designator
- 4 taxiway location sign
- 5 direction sign
- 6 connect ground power


- 7 reserved for helicopter
- 8 move ahead
- 9 taxiway A changing direction
- 10 slow down
- 11 threshold markings
- 12 wind direction and speed

Now mark items 1–12 above with G (ground/surface marking), SN (sign) or SG (signal). Do you have any experience of signs or signals that were confusing or difficult to see? What was the problem?

VOCABULARY

1 Match each picture to a name and an action.

























What is each vehicle used for? Use is used for.

A de-icer is used for spraying icy wings.

British English snowplough kerosene American English snowplow jet fuel

Listen. Where are the airside vehicles? Mark their locations.

RYR 372 • fire tender • BA Bus 5 • sweeper • de-icer • RYR 355 • UAL 439 • maintenance truck




Match the words and phrases for movement with the pictures.













- keep well to the left of
- backtrack
- 3 turn on to taxiway B
- 4 taxi off the runway
- go straight ahead 5
- 6 go beyond taxiway A

COMPREHENSION

Match the sentence halves.

- I have to be near
- I have a flat tyre
- Do you need 3
- I've got
- A maintenance truck
- Taxi with caution
- a due to works.
- b on the nose gear.
- c a radio problem.
- d a push-back tug?
- e our maintenance area.
- f is on its way for your flat.



Now listen and check your answers.

FLUENCY

Listen again. Answer the questions or discuss them with a group.

- 1 How many planes is ground control dealing with?
- 2 Describe the tug driver's difficulty.
- 3 What plane does KLM 219 give way to?
- 4 Why is the KLM pilot impatient?
- What's the difference between Taxi slowly and Taxi with caution?

STRUCTURE

PERMISSION, OBLIGATION, PROHIBITION

Strong obligation: have (got) to, must, mustn't, shall

Pilots have to get clearance for flight plans.

Passengers mustn't carry fireworks on board.

All passengers shall pass through security.

Recommendation: should/ought to You ought to slow down.

No obligation: don't have to, needn't Snowplough drivers don't have to report to pilots.

Permission: may, can, are allowed to Request taxi. You can route via taxiway. You may proceed.

Prohibition: can't, don't
You can't start up.
Don't let the passengers enter the flight deck.

6 Complete the sentences with the words from the box.

n	nustn't • should • have to	 don't have to • are allowed to
1	Passengers	label their luggage clearly.
2	Passengers	carry compressed gases or other dangerous items on board.
3	Passengers	check in on the internet, but it's usually easier.
4	Passengers	take a small bag onto the plane with them.
5	Passengers	show their passports when they check in for an international flight

7 Ground movements are often expressed using phrasal verbs. Use the prepositions in the box to complete the phrasal verbs.

0	off on up down back around	
1	1 Flight KLM 546 slow! You are taxiing too quickl	ly.
2	2 My flat tyre made the steering unresponsive. I almost skidded	the runway.
3	Tug 4, you'll have to goto stand 17 and assist 5	SAS 418.
4	4 Ground Control Bus 4. Acknowledge stand change. Turn	and proceed to stand 13.
5	5 Gulf Alpha Bravo Lima, permission to carry pas	t the stationary 757.
6	6 China 412 pick up a little speed and catch with	the Airbus ahead of you.

PRONUNCIATION



Listen. Underline the words that are stressed in each sentence.

- 1 Can I change stand?
- 2 I have to be near our maintenance area
- 3 I have a flat tyre on the nose gear.
- 4 Hang on a minute.
- 5 Did you get my message?

Now listen again and check your answers.

Which important words are stressed in these sentences?

- Taxi with caution due to works.
- Is that possible?
- Hey, I can see lots of works.
- 5 I don't want to be difficult.
- Request closest available stand.




Listen and check your answers. Then practise the sentences with a partner. Make sure you use the correct intonation.

COMPREHENSION



10 Controllers may give other essential information about local conditions. Listen to the audio and match the potential hazards to the numbered positions on the diagram.



11 Listen again and complete the sentences.

1	Be informed. Centreline lights out of order runway 27.
2	Caution. Construction work the edge of the taxiway. It's marked by red flags.
3	Be advised. Ice reported the holding area. Braking action poor. Caution.
4	Be advised. Standing water the midpoint on the runway.
5	Caution. Slush stand E40.
6	Be advised. Edge of apron partly covered gravel opposite the terminal building.

INTERACTIONS

12 Work with a partner to practise instructions.



USEFUL PHRASES

There's some oil on the apron near stand D15. Watch out for the dog near taxiway Alpha. Be advised taxiway Charlie is partially flooded. Suggest another taxiway. Be advised of broken down truck ahead. Request diversion, change of stand.

COMPREHENSION



13 Bad weather may cause problems on the ground. Listen to Ground speaking to two pilots. Answer and discuss the questions.

- Why is the Finnair flight taxiing with caution?
- 2 Why is the Singapore Airlines pilot impatient?
 6 Why does Finnair need to hold position?
- 3 Has SIA 107 lost her slot time?
- 4 What is SIA 107's new slot time?
- 5 Does SIA 107 get approval for start-up?
- 7 What weather warnings are given?
- 8 What hazard is on the taxiway?

VOCABULARY

14. Match the words to describe weather conditions.

A			В			C		
1	dense	thunderstorms	1	flash	dust	1	drifting	showers
2	gusting	fog	2	broken	flooding	2	scattered	storms
3	severe	winds	3	blowing	clouds	3	tropical	snow

In what places would you often expect to find these weather conditions?

- 1 widespread sandstorms hot dry summers cool moist winters
- 2 snow and ice fog and drizzle typhoons 5
- 3 monsoon rainfall hurricanes 6

Describe the weather conditions at your own international airport in June and in December.

COMPREHENSION

15 Listen. Write T for true and F for false. Speedbird 937 ...

- 1 reports at holding point L4. 4 acknowledges holding at L3.
- 2 reports giving way to the Airbus 320.
 5 is asked to clear the runway.
- 3 is not prepared for immediate departure. 6 reports that the Airbus 320 has stopped on taxiway.

VOCABULARY

16 The Airbus 320 has stopped on the runway. Work with a partner to give as many reasons as possible why planes may stop.

1	Technical problem such as	4	Emergencies such as	٠
2	Human factors such as	5	Other causes such as	*
3	Weather conditions such as			

Put these problems in the categories above.

break-down . fuel spillage . de-icing . malfunction . mechanical problems

- · unruly passengers · engine failure · engine stall and surge · jammed doors
- · being stuck in the mud · collisions · sick passengers · sick pilot · flash flooding
- · heavy snowfall · poor visibility · engine on fire · police/customs control
- medical emergency
 blocked runway
 runway incursion
 industrial action
- lost luggage terrorism animal on the runway

INTERACTIONS

Have you experienced any of the situations in exercise 16?

17 Look at the pictures. Explain the problems to your partner.



EXPLAINING PROBLEMS

There seems to be a problem with the door. We've got a problem with the service hatch. Stand 6 seems to be blocked.

The cargo door appears to be stuck.

Engine number 2 has a malfunction. There's a burst tyre. We've got a bit of a problem. We may have a situation here.



COMPREHENSION

18 What happened to the Airbus 320? Complete this sentence with the exact words used by ground control.

ATC The Airbus 320 is being towed off Runway 24 because of _____

INTERACTIONS

19 With a partner take the problems from your list in 16 on page 26 and use these phrases to say that the problem has been solved.

SAYING A PROBLEM HAS BEEN SOLVED

The delay/wait/problem is over.

It's been repaired.

The customs have finished their controls.

All clear.

You've got the green light.

Go ahead, all clear.

It was a false alarm. We're back to normal.

The situation is under control.

The Airbus problem seems to be over.

It was nothing serious.

It's all over, let's get on.

INTERACTIONS

20 Work with a partner to practise the exchange below. Take turns being the controller and the pilot.



OUTPUT

Read the article and answer the questions.

Shortened runway exposes serious safety concerns

A Boeing 737-86N, with seven crew and 190 passengers on board, was beginning a flight. Runway 06L was in use but the flight crew were not aware that this runway was being operated at reduced length.

This was due to work-in-progress to remove rubber deposits at the far end of the runway, which was out of sight from the O6L threshold end as the runway is built over a slight rise in the ground. Due to a difference of interpretation of information passed between Air Traffic Control (ATC) and the flight crew, the aircraft entered the runway from holding point AG rather than the expected holding point A, and the takeoff was conducted using a reduced thrust setting calculated for the assumed normal runway length. As the aircraft passed the crest of the runway, the flight crew became aware of vehicles at its far end but, as they were now close to their rotation speed, they continued and carried out a normal takeoff. The aircraft passed within 56 feet of a 14 foot high vehicle.

Notes

- A NOTAM was issued informing runway 06L works-in-progress.
- The co-pilot listened to the ATIS broadcast which contained details about the weather, bird activity and the work-in-progress.
- Radio communications between ATC and the flight crew regarding the lining up point were misinterpreted by both parties.
- There were seven vehicles at the end of the runway.
- Work was in progress at the time of the incident.
- There was no blanking of runway lighting in the works-in-progress area.
- ATC advised the pilots about the reduced runway distance for take-off but taxi instructions did not give a specific holding point.
- The end of the runway was not visible at the threshold.
- . The aircraft was travelling too fast to abort.
- The aircraft was 9 tonnes overweight for a reduced runway take-off.
- The pilots did not believe they had been in a serious incident and did not make a report.
- ATC witnessed the incident but it was not reported immediately.

OVER TO YOU

Do you think runway of. should have been used?
Do you have experience of a similar situation?
What recommendations could be made based on this report?



Departure, climbing, and cruising

STARTER








How many reasons can you think of for late departure? Make a list.

AU010

COMPREHENSION

Listen to seven exchanges. Write the number of the exchange at the correct point on the diagram.



Listen again. Answer the questions.

exchange 1 Why didn't the pilot have the full runway length? Give two reasons.

exchange 2 What was the call sign of the aircraft?

exchange 3 How far out is the incoming traffic?

exchange 4 Was the aircraft instructed to turn right or left heading o90?

exchange 5 What is the standard radiotelephony phrase for Just stay on the same heading for the

time being?

exchange 6 What heading is 963 given at the new level?

exchange 7 What was the wind speed?

Look at the transcripts on page 88. For each situation, think of what would be said next. Use standard phraseology whenever possible.

Incident/event

- 1 near collision
- 2 identified
- 3 level bust
- 4 airprox
- 5 conflicting traffic
- 6 holding
- 7 aborted take off

Description

- a aircraft appears on radar screen
- b avoiding manoeuvre appropriate
- c danger aircraft are too close
- d aircraft doesn't become airborne
- e waiting or delaying
- f traffic on collision course
- g over 300 feet outside assigned level

PRONUNCIATION

3 Put the words in the correct column according to the underlined sound.



Listen and check your answers.

STRUCTURE

CHECKING AND ASKING FOR AN ALTERNATIVE

Checking

Are you sure?

Can you confirm you want us to climb back to 120? Did you say flight level 90?

Asking for an alternative

Do you mind if we have a level change instead? Can I use runway 9 rather than runway 18?

4 Use words from the questions above to complete the sentences.

you say you check	ed the QNH setting?
you sure you don'	t want us to use taxiway X?
Sorry, can we use runway 23 _	of runway 28?
you say you wante	ed medical assistance?
Can I change to FL 350	than 310?
you confirm that y	ou've reached FL 150?




Listen and check your answers. Which words are used for ...

- 1 an affirmative answer?
- 2 a negative answer?

COMPREHENSION



Look at the diagram. Listen to the exchange and complete the sentences from the second part of the exchange.





Pilot	We have no	o visual with helicopt	er. Are you sure? L556.	
ATC	L556, the h	nelicopter is	the runway, sir.	
Pilot	What? He's	not even	_² the ground?	
Co-pilot			er there, look! He's hoverin	
		that large build		
Pilot	Where?			
Co-pilot	Well	7 to the right,	s the car park,	g the trees,
		_= the chimney. In fac	ct if he gets any closer he'll	bump" it!
	It's fine. No	problem. He's well	2 our path.	


6 Answer the questions.

- 1 Which words did the controller confuse?
- 2 Is this a language problem or an operational problem?

7 Use eight prepositions from the box to complete the aircraft positions.







8 Match each pair of aircraft (a-h) above to a description.

1	TRANSPORTER AND ADDRESS OF THE PARTY OF THE	parallel	5	diverging
2		converging	6	same direction
3		opposite	7	overtaking
4		directly above/below	8	crossing (right to left

COMPREHENSION



9 Now listen. Write the letter of the diagram (a-h) above that matches each exchange.

1	-	5	10.11.1.11.11.11.11.11.11.11.11
2		6	
3	***************************************	7	
4		8	W000000000

PRONUNCIATION

10 Important words are stressed. Underline the important words in the sentences.


- Look out for slow-moving traffic 6 miles ahead.
- 2 Avoiding action. Turn left immediately, heading 125.
- 3 Opposite traffic at 12 o'clock.
- 4 Traffic to your left 2 miles. Overtaking FL 90.
- 5 Fast moving traffic at 2 o'clock crossing right to left.
- 6 Conflicting traffic at 6 o'clock.
- 7 Traffic 5 o'clock parallel. 1000 feet below climbing.
- 8 Maintain FL 150 until further advised.
- 9 You're well clear of traffic.



Listen and check your answers.

INTERACTIONS

11 Work with a partner. You are callsign YB. Listen to three warnings. For each situation mark both planes on the diagram. Ask your partner to repeat as many times as necessary.



STRUCTURE

12 Complete the exchange using some and any in the correct places.

B550, we have a report of vapour streaming aft of you.

Tumbiki Control, thanks. Sounds like we're fuel. We're declaring an emergency. Returning to Tumbiki. B550.

B550, roger. Do you want to dump ______ fuel?

Affirmative. I'll have to get rid of_ I can't risk___ overheating of the brake units. And I certainly don't want spilling onto hot brakes. B550.

B550, do vou require airport services?

Affirmative, I need__ * protection, please. Fire and rescue services required. B550.

SAYING HOW MUCH

Countable

There are some passengers boarding. There aren't any baggage trolleys. Are there any reports of wind shear?

Uncountable


There's some ice on the runway, There isn't any hail, just a little drizzle. Is there any fog?



INTERACTIONS

13 Work with a partner. Use the chart to:

- act as a pilot and pass useful information to ATC.
- · act as an ATCO and give appropriate warnings to pilots.



WARNINGS AND REQUESTS

Warnings

There's some clear air turbulence ahead.

There are a few scattered clouds.

There's a little icing reported at the higher level.

There isn't much fog at your destination.

Requests

How many other planes are in the area? Is there lots of traffic ahead? Is there a lot of bad weather ahead? Are there any speed restrictions?

FLUENCY

14 Read the first part of an account of an incident on take-off. What do you think caused the vibration?

From the Flight Deck

Strange vibration on take-off

We taxied the short distance to runway 10. We received clearance immediately and started to roll. Before we reached 100 knots everything was fine, but after 120 knots we felt some vibration on the flight deck. When the speed increased, the vibration increased. V1 was 140 knots so we took off and the vibration stopped as soon as we were airborne. The climb out

was fine, but a warning light came on when we tried to retract the landing gear. We suspected a burst tyre and requested a runway inspection from ATC. While we waited for a reply we discovered there was severe vibration in the middle, and at the rear of the plane. Shortly afterwards, ATC told us there was tyre debris on the runway.

Read the rest of the account. Were you correct?

We declared a pan and decided to return to the airport as soon as possible. Once we were in the hold we remained there until we had burned enough fuel to give a safe landing weight. As soon as the plane touched down, the vibration started again on the flight deck. When we stopped, the fire service quickly surrounded the plane and foamed the landing gear. After braking, the temperature of the landing gear had risen to 800°C. Once the immediate danger was over, the passengers stayed on board until the plane was clear of the runway. When the crew disembarked, the damage to an outer tyre



was obvious. It was badly ripped. After investigation tyre debris was found in number one engine. It had caused severe damage to 17 fan blades.

STRUCTURE

15 Choose the best time expression in each sentence from the account.

- 1 Before/After/When we reached 100 knots, everything was fine.
- 2 While/Until/When the speed increased, the vibration increased.
- 3 After/While/Before we waited for a reply we discovered there was severe vibration in the middle, and at the rear of the plane.
- 4 Before/Until/As soon as the plane touched down, the vibration started again on the flight deck.
- 5 After/While/Before braking, the temperature of the landing gear had risen to 800°C.
- 6 Once/Until/Before the immediate danger was over, the passengers stayed on board while/as soon as/until the plane was clear of the runway.

TIME EXPRESSIONS

When you're abeam HERON, you'll be clear of traffic.

As soon as I receive your flight plan, I'll give you your clearance.

We'll call you once he has vacated the runway.

We'll proceed to Birmingham after we pick up the additional cargo.

I'll call you before we reach the outer marker.

Continue your climb until you reach FL 270.

Wait there while I check the paperwork.

INTERACTIONS

16 With a partner or small group, discuss the questions.

- Suggest other incidents which may cause vibration on the flight deck or in the cabin.
- 2 What other damage may be caused by a tyre burst?
- 3 Why do you think there was vibration in the centre and rear of the plane?
- 4 Describe another incident where a plane returned to the airport shortly after take off. Give reasons for the return.

GIVING REASONS

The plane returned because of a fuel leak.

The plane remained in the hold in order to reduce its landing weight.

The damage was due to a bird strike.

OUTPUT

Read the news article and the technical report. Then answer the questions.

Flying enthusiast's dream shattered

Flying enthusiast Max Wright thought he had achieved his dream. After years of careful work, he completed a self-build LAC-02 Falcon light aircraft kit.

A few practice hours later, Wright was ready for the first flight, with his friend Will Strong as his first passenger. He carefully carried out all the pre-flight checks. Everything was in A1 condition.

Lining up for take off, the electric fuel pump was switched to ON and the roll out was perfect.

Then it all went wrong. At approximately

150-200 feet, the engine coughed and stopped suddenly.

Onlookers said they heard the engine falter and looked up to see the plane banking sharply to the left. The aircraft was losing height rapidly, but somehow Wright managed to land it safely. Both the pilot and his passenger escaped with only minor cuts on their hands after the heavy landing.

Wright decided the plane should be repaired by the kit manufacturers. He has requested an investigation into the reason for the engine failure.

FLITE-KITS LIMITED

TECHNICAL REPORT

Aircraft type: LAC-02 Falcon

Engine type: Piston engine

Engineer's report

A piece of heat resistant material from the engine compartment was obstructing the fuel flow to the carburettors. This material must have got in when the engine was built as it was downstream of the filter which fuel passes through after leaving the fuel tank. It seems it was gradually carried along the fuel pipes until it reached the carburettors, where it blocked them completely.

OVER TO YOU

What would your reaction be if this was your aircraft? What responsibilities do aircraft kit manufacturers have to their customers? What light aircraft have you flown in? Would you like to build a light aircraft?



En route events

STARTER

How many of the activities or hazards can you name?



What other hazards might be met during a flight?



COMPREHENSION

Listen to the navigation warnings. Match each warning to an activity.

warning 1	а	fuel dumping
warning 2	b	in-flight refuelling
warning 3	С	warning light inoperable
warning 4	d	weather balloon
warning 5	е	fireworks display

Which of these hazards are not pictured in STARTER, above?

2 Listen again if necessary and answer the questions.

- Where is the weather balloon?
- 2 What is the problem at Marchwood?
- 3 What is happening at FL 100?
- 4 What will finish at 1500?
- 5 How long will the display last?

FLUENCY

3 NOTAMs give information about operational situations. After initial details of location, times, and dates, the message is a shortened form of plain English. Can you read this message?

B) 08/05/04 11:45 UTC C) 08/05/06 17:30
AIR DISPLAY AND ASSOCIATED INTENSE AERIAL ACTIVITY INCL JET AND PROP ACFT PLUS HEL. NO ACFT IS TO FLY WI AREA OF A CIRCLE RAD 3.5 NMS CENTRED AT 5205N 00008E UNLESS APPROVED BY ATC, PILOTS TO EXER CTN IN THE VCY. OPS INFO CONTACT 07780-870-476.

With a partner, translate the message into plain English.

AUDIO

COMPREHENSION

Listen to the navigation warnings. Complete the table to show any traffic restrictions at the times shown. Write yes or no.

		Activity	1000	1200	1400	1600
1	Merthyr					
2	Land's End					
3	Brecon Beacons					
4	Bath					
5	Hatfield					

PRONUNCIATION

5 Put the words into the correct column according to the sound of the vowel (a, e, i, o, u).

testing



Listen and check your answers.

INTERACTIONS

6 Work with a partner. Translate a NOTAM into plain English for your partner. Then listen to your partner's NOTAM. Record the information.

Start + finish times	PARTNER FILES	Partner A Partner B	File 5, p. 71 File 12, p. 72
Place			
Activity			
Additional information			
USEFUL PHRASES			

Advance information is not always available for unusual events. Listen to the three exchanges. Complete the sentences below.

Aeroplanes flying in Devon and Cornwall should be aware of fighter training and parachute jumping.

1	a	333 wants	_ separation.	
	b	The pilot wants a	ride.	
	C	ATC says to expect	climb at 45.	
2	а	The pilot says it's the	climb out ever.	*
	b	Then he says that the	situation is	than he thought.
3	a	AF-39 requests divers	ion to the airport.	
	b	The smell is getting _	option the all and construction are appropriated and	

Listen again and check your answers.

This information is for the 8th of May 2004.

It is valid from o800 to 1100 UTC.

Compare the aeroplanes in the pictures with a partner. Use the words in the box to help you. Add your own ideas.

short . long . heavy . new . old . big . roomy . fast . fuel efficient . advanced

INTERACTIONS



COMPARING TWO THINGS

The runway at Heathrow is longer than at Southampton. I have a more expeditious routing for you. The visibility is better here than in Athens. The weather is worse than before.

COMPARING MORE THAN TWO THINGS

Cirrus is the highest of all tropospheric clouds. Safety is the most important aspect of aviation. The best thing about flying is the speed of travel. That was the worst turbulence I've ever felt.

The unusual events in exercise 7 may or may not be life threatening. Answer the questions.

- Which event is more likely to become life threatening?
- Which event is less likely to become life threatening?
- Which event is likely to lead to a mayday or pan-pan call?

Discuss with a partner and put all three events in the most appropriate column below.

MINOR		SERIOUS EMERGENCY		
Unlikely to get worse	May get worse	May become life threatening	Life threatening now	

Add these events to the most appropriate column in the above table,



What other events can you add to the columns in the table?

Severe icing will definitely reduce lift and increase drag.

0%		50%		100%
↑ definitely won't	probably won't /is unlikely to	may/ might (not)	will probably /is likely to	↑ will definitely
We probably w You are unlike Significant icin A warning light	won't find standard pl yon't be ready on time ly to see nimbostratus g may/might jam the t on the flight deck ma bly need to use plain	. Can we have an clouds from the controls. ay not/might not	nother slot, please? ground. be serious.	

FLUENCY

10 Test your aviation awareness. Choose the best word to complete the sentences in the quiz.

1	If an aircraft suffers en expected.	igine failure on take-of	ff it climb more slowly than
	a is unlikely to	b is likely to	c probably won't
2	An unexplained loss of indicate unlawful interfe		change in direction of flight uch as a hijack.
	a definitely won't	b may	c definitely will
3	problem.		nient butbecome a major
	a will probably	b will definitely	c is unlikely to
4	altitude.		the crew descend to a lower
	a definitely won't	b might	c will definitely
5	An aircraft landing heav a definitely won't	y land more slow	vly than normal.
6	If an aircraft has a probl	em with the landing gea	ar on approach it go around.
	a is likely to	b is unlikely to	c probably won't
7	An aborted take-off at I and might cause a fire.		ease the temperature of the brakes
	a will probably	b might	c will definitely
8	If a crew are suffering fr	om hypoxia they	read back instructions incorrectly.
	a probably won't		
9	sudden loss of pressure).	urst ear drums occur after a
	a are unlikely to	b will definitely	c will probably
10			ake communications more difficult.
	a might	b probably won't	c definitely won't

¹¹ Think again about the situations in exercise 7. For each situation discuss with a partner what might happen next. Use the words in TALKING ABOUT PROBABILITY on page 40.

COMPREHENSION

12 Listen to what happened next and answer the questions below.

- a Was there a smoother ride at the higher level?
 - b What separation does the pilot ask for?
- a What went wrong?
 - b Which runway does the pilot choose?
- 3 a What reason for the smell does the pilot suggest?
 - Does the fire service board the plane before or after the passengers disembark?

Listen again and check your answers.

13 There may be medical problems during flights. Approximately 75 per cent of in-flight medical emergencies are managed by the cabin crew. Others may require help from a doctor on the ground. Match the descriptions at the top of page 43 with the pictures below.



- He's having chest pains.
- She's fainted.
- He's having stomach pains.
- She may be going into labour.
- He's got asthma.

- 6 She's having a seizure
- 7 He's hurt his head.
- 8 She's cut her hand.
- 9 He's behaving very aggressively.
- 10 He's choking.



14 Listen. Match each exchange to a picture on page 42.

1_____2____3____4____5____6__

FLUENCY

15 Read the first part of the story. Answer the questions.

Flying Lesson Takes Unexpected Turn

Matt Lewis was overjoyed when he took off in a light plane for his first flying lesson. However, the flight turned out to be more eventful than expected.

The flight began smoothly. The instructor, Ian McLean, took the controls for departure, and after acknowledging ATC instructions, handed the controls to Lewis. Flying a level course, Lewis was surprised when McLean started to test his new student's flying skills so early in

the lesson. McLean flung himself backwards in his seat and then slumped forwards onto the controls. "I thought it was part of the lesson, or maybe a joke. I thought he wanted to see what I'd do if I really had to fly the plane." Lewis pulled McLean off the controls and continued straight ahead. "When ATC came on the radio to ask why we were off course, and McLean didn't answer, I knew it wasn't a joke."

- What did Lewis think McLean was doing?
- How will Lewis explain to ATC what has happened to his instructor?
- What do you think happened next?

Read the second part of the story. Were you right?

Lewis told ATC that McLean had passed out after some sort of seizure, and that he was a student pilot on his first flight, ATC assigned a mayday status, and within minutes a second instructor, Nico Gamalev, was alongside Lewis in another aircraft. Together, they turned back to the airfield, and the new instructor talked Lewis

through bringing the plane down safely.

McLean is now recovering in hospital and Lewis has declared that he's ready for his next flying lesson - with Mr Gamalev.



16 Read the statement from ICAO. Answer the question.

Incapacitation of the flight crew will normally require an automatic landing on suitably equipped aircraft. However, on passenger aircraft locked cockpit doors which can only be opened from the flight deck have sparked criticism.

Aircraft security is essential. The well-being of the flight crew is equally important. How well are these two requirements balanced on commercial flights?

Read the article and answer the questions.

Eye witness account of United flight 811

The flight left late at night. I was in a window seat in the middle of the plane. The weather was good and the take-off and climb out were fine. About 20 minutes into the flight there was a slight vibration. It was odd. Then, about 30 seconds later there was a loud noise — a bang — and then there was a big, big rush of air. The cabin filled with fog. It was fogged up for about 15 seconds.



It was a terrible mess. Papers and loose items were flying everywhere, the noise was really loud. The oxygen masks dropped down, and the temperature in the cabin reached freezing in about five seconds! And then I saw that there was a hole in the side of the plane! I was lucky: it was on the opposite side of the aircraft from me.

At first, the cabin crew just hung on. They were trying to understand what had happened. The noise made it impossible to communicate. It was night, so it was impossible to know how high we were. Then the crew started to move passengers away from the hole. Four of us helped to move them towards the rear of the plane. Once they were out of danger we strapped ourselves back in to our seats.

Time passed very slowly. It felt like hours before I looked out the window and saw lights. But really, it was only about 20 minutes after the incident. Two minutes later the intercom came on. The pilot said that we would be landing in two minutes. We landed within the two minutes and the landing was one of the smoothest I have ever had in a 747!

OVER TO YOU

Can you explain in your own words what happens during an explosive decompression?

What features on a modern aircraft are designed to make an explosive decompression very unlikely?

What other safety features have you heard of that aircraft manufacturers are working on at the moment?



Contact and approach

STARTER

Read the pilot-to-passenger announcements. Grade them according to your preference (1 is the best, 3 is the worst). Give reasons for your choices and compare them with a partner,



From the flight deck, we're inbound on long final, approximately 22 minutes from our ETA of 1742 hours local. Weather conditions good, with scattered clouds at 5000 feet. Prepare for landing.

Good afternoon, ladies and gentlemen, this is the first officer. We'll be landing in Shanghai in approximately 20 minutes. The temperature in Shanghai is a warm 28 degrees and the local time is now 5:20 in the evening. We hope you've enjoyed your flight.

Hi, there. Captain here. In fact we're getting ready to land just now — we'll be down on that ground in a short while. It's a great day down there, just the sort of day I like. I love the food here, too. A lot better than we've had on this flight, hey. We'll see you on the ground.

With a partner, list some 'rules' for good pilot-to-passenger communication. Think about:

- local information
- technical information and use of jargon
- courtesy
- clarity
- humour

COMPREHENSION



Listen. Answer the questions.

Part 1

- What is the situation with flight 276?
- What caused problems at the airport earlier in the day?
- When does 276 need to land? 3
- What's the reason for the landing time?
- What is the expected delay?

Part 2

- How long does Approach say 276 will need to wait?
- What flight level change does 276 make?

Part 3

- What does ATC instruct 276 to do?
- Why can't 276 land at Wessex?

STRUCTURE

2 Read the sentences from the exchange. Are they talking about when or how long? Write W for when. Write H for how long.

1		We had delays earlier today.
2		It took a long time to clear it all.
3	to account the desired part	So how long can I expect to wait?
4		I need to get down before 2300, don't I?
5		Delays will be about half an hour, at least.
6	www.	I'll get back to you shortly.
7		Climb immediately to 9000 feet.

Match each question with an answer.

- When was the flight due to arrive?
- 2 How much longer will we be holding?
- 3 How long did you spend in Asia?
- 4 When will we arrive?
- 5 When did you leave Tokyo?
- 6 How long will the backlog take to clear?
- a About two months.
- b We left ages ago!
- c An hour ago, so it's quite late.
- d For a few minutes more.
- e In about an hour.
- f It might take over an hour.

TALKING ABOUT TIME

When The past just now a few minutes ago a while ago this morning yesterday last week a long time ago ages ago

The future immediately shortly/soon in a few minutes/a while in a few hours tomorrow next week a long time from now ages from now

How long (duration) a few seconds not long a few minutes a couple of hours quite a while a long time days ages

FLUENCY

4 Work with a partner. Use ago to say when each weather condition happened. Use took or lasted to say the duration. It is now noon on Tuesday.



Now talk about your own future. What are you going to do in a few minutes? In a few hours? A long time from now?

COMPREHENSION



Listen to the announcement. Complete the sentences below.

1	I for the delay this evening.
2	I'm there are severe delays at Wessex due to air traffic.
3	Wessex has got a noise abatement curfew, so we after 11 p.m.
4	We've been to Exeter.
5	Please accept our sincere for the inconvenience.
6	We this will mess up a lot of your plans.
7	The cabin crew will to look after you until we reach Exeter.
8	Ground staff in Exeter will be to make sure you reach your final destination as soon as possible.

Which sentences:

Apologise? Explain the problem? Offer a solution?

EXPLAINING CHANGES IN PLANS Apologizing Explaining the problem I'm really sorry about the delay. The airport is covered in dense fog. I apologize for making you wait. We've had some trouble with the computer. Offering a solution We'll hold a while longer. I can sort things out for you now.

Think of a problem you have experienced. Answer the questions.

- 1 How was the problem explained?
- 2 What apology was offered?
- What solution was offered?

STRUCTURE

6 Look at the approach plate on page 49. Match the sentence halves.

- 1 If plane 1 is the fastest,
- 2 If plane 2 misses its approach,
- 3 If plane 3 joins the circuit,
- 4 If plane 4 wants to increase separation from plane 1,
- 5 If plane 5 speeds up,
- 6 If plane 6 enters the pattern,

- a it will be number 4 or 5 to land.
- b it will slow down.
- c it will fly over the airport and turn right.
- d it will come too close to plane 4.
- e it will be the first on the ground.
- f it will go around.

TALKING ABOUT CAUSE AND EFFECT

If the snow is heavy, the airport will close.
If you miss your approach, you will have to go around.
If it gets too late, you'll have to land at your alternate airport.

7 Use information from the chart on page 49 to talk about cause and effect. Try to make five sentences.

If you tune your radio to 127.3, you'll hear the LED ATIS.

AU010 38

COMPREHENSION

Listen. Write the flight number for each plane marked on the approach plate on page 49.

AFL 339 • AUA 26 • DLH 1390 • BAW 440 • AZA 29 • BAW 34

plane a		plane d	
plane b	, may 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	plane e	
plane c		plane f	




9 Flight KLM 405 is on approach for St Petersburg, Listen. Complete the table.

Altitude:	Venezania a cura de constante
KE time:	2
Estimated OLSON	3
Flight level to descend to:	Maritime a separation
QNH:	5
Speed:	6 reducing to

Discuss these questions with a partner.

What unit of altitude measurement is used at your local airport? Have you ever worked with a different altitude measurement? What other measurements can be expressed in different units?



COMPREHENSION



10 Listen to the Flight Information Service (FIS) broadcast and note the nine pieces of information.

1	Information Romeo	6	A PROPERTY AND A PROP
2.		7	
3		8	
4	-	9	
_			

Were any of the words difficult to understand?

PRONUNCIATION



11 Now listen to a different version of the same broadcast and check your answers.

With a partner, take turns reading the FIS broadcast.

Information Romeo: 2000 Z, 8000 scattered, visibility 14 kilometres, temperature 44, wind 310, 8 knots, altimeter 30.00, expect ILS or visual to runway 24 and 33, advise on initial contact you have information Romeo.

FLUENCY

12 Read the text. Why do you think the gear was up?

On a clear July day, Scott Dittamo was training at the Newark Tower when he spotted an Air India flight with 409 passengers on board making its final approach. But something didn't look right. The Boeing 747's landing gear was still up as the plane was a half mile from landing.

ATC Air India 145 heavy, check gear down, gear appears up. Pilot Wow! Roger got it. Nice timing Air India 145.

The plane landed safely.

Do you know any similar stories of 'near-miss' situations?

13 Pilots with landing gear problems sometimes have to go around. Give other reasons for a missed approach.

Listen. Answer the questions.

- 1 What speed does KLM 405 reduce to?
- 2 What's the condition of the runway?
- 3 Why does KLM 405 decide to go around?

Partner A File 7, p. 71 Partner B File 13, p. 73



14 KLM 405 is again on approach. Listen and answer the questions.

- 1 What does the pilot ask about?
- 2 What does Approach say?

15 Match the phrases (1-4) with the descriptions (a-d).

- What's the situation with ...?
- a a piece of advice

No better, no worse.

b a description of the situation

Be sure to check ... 3

- c a statement that means the same as before
- There's slight aquaplaning reported.
- d a request for information



16 Listen to another approach exchange. Answer the questions.

- Why does Approach say Hang on?
- Why does ATC ask AA 745 to use runway 24?
- 3 Which direction does the pilot take for runway 24?
- ATC says Do you mind ... ? What does this mean?
 - a Attention please!
- b Is it OK?
- c Take care.
- The pilot says ... No problem, which means
- b What's the problem? c No, there's a problem.

STRUCTURE

REQUESTS

There is standard phraseology for making requests, however you frequently hear plain English.

Can you increase your speed?

Hang on ... do you mind going for runway 24?

Would you organise an ambulance on arrival?

Could I ask you for the latest met reports in Tokyo?

INTERACTIONS

17 Work with a partner. Practise making requests.

USEFUL LANGUAGE

Saying yes

Saying no

No problem. Yes, of course.

Sorry, I can't do that. It's broken. I'm afraid not. I don't have the key.

Sure.

Sorry, that won't be possible. I don't

know how.



18 Listen to another approach exchange. WHF-22 has just been cleared to base leg by Newbury Tower. Listen. Answer the questions.

- What altitude was the plane cleared to on base leg?
- 2 Why didn't the crew know they were too low?
- 3 What was the tower's main concern with the level bust?
- 4 Do you think this was a language problem or an operational problem?

OUTPUT

Read the article and answer the questions.

SAFETY SENSE

Advice from the CAA of the United Kingdom

Correct standard phraseology is extremely important and must be used whenever possible. If it isn't used, the results can be devastating.

Precise phraseology is there for a reason – use it!

The aircraft was at 2400 feet. The controller gave clearance to Descend two four zero zero cleared for approach. The pilot thought the instruction was Descend to four zero zero and replied OK, four zero zero.

The controller did not notice the error.

It was night. There was no radar. Less than a minute later the aircraft crashed into a hillside at 437 feet.

REMEMBER

In the UK, climb and descent instructions always use the words flight level, altitude, or height.

Say Climb to ... or Descend to ... altitude or height.

Say Climb flight level ... (not Climb to flight level ...)

Listen and check for read-back.

The ATC instruction was given Re-clear to three thousand feet expect an ILS approach. Report level three thousand feet.

The pilot read back Re-cleared to two thousand feet. The controller did not hear, or ask for, any read-back from the pilot.

In addition, the QNH was set incorrectly, so when the altimeter indicated 2000 feet, the plane was actually at 1800 feet. The plane crashed into a mountainside, only 100 feet below the summit at 1795 feet.

REMEMBER

If you are in any doubt about a transmission, or do not receive the expected readback, then check.

Use correct wording. Make urgent instructions sound urgent.

An inbound Airbus 320 was descending to FL 90. At the same time, a Boeing 757 was climbing to 6000 feet.

To maintain safe separation ATC told the 757 to Head one hundred degrees and climb flight level eight zero.

The pilot read back One zero zero and flight level eight zero, but the co-pilot set the autopilot incorrectly at flight level 100.

ATC saw the 757 climb above flight level 80. He told the pilot to stay at FL 80 and the pilot replied We were cleared climb one zero zero.

ATC told the 757 to stop climbing at FL 90 and told the A320 to stop descending at FL 100.

However the controller did not say avoiding action so the pilots did not understand the instructions were urgent. As a result they responded slowly and the A320 reached flight level 93 before it stopped descending.

An accident was avoided, but the aircraft passed each other with 1 NM horizontal separation and only 300 feet vertical separation.

REMEMBER

In the UK, say flight level one hundred but heading one zero zero.

Always give clear instructions and check the read-back!

OVER TO YOU

Are the above recommendations the same as or different from ICAO recommendations? Do you know of a serious incident which resulted from bad communication? Why can *Go ahead* cause confusion?

As a controller, do you listen to read-back? As a pilot, do you always give read-back?

Landing

STARTER

Look at three exchanges. Which is the best? Which is the worst? Why?



1	Flight 402	2	10	3	Foxtrot 312 Heavy
ATC	402, descend on the glide	Pilot	Outer marker, 10.	Pilot	Approach, Foxtrot 312
	path. Number two behind a 737 six miles ahead.	ATC	Continue approach		heavy, this is the fourth
Pilot	402 descend on the glide		for runway 25R be advised the high		time I've circled in the stack. Any news?
	path number two behind a		intensity lights are	ATC	Stand by, Foxtrot 312 heavy.
	747 six miles ahead.		on.	Pilot	Request diversion to
ATC	737, 402.	Pilot	10 final, we have		Colorado Springs 312.
Pilot	Approach she's definitely	ATC	the runway in sight.	ATC	Stand by, Foxtrot 312.
	a heavy. We've got a clear view. 402.	AIG	Cleared to land, wind 230 12 knots.	ATC	nterval OK 312, what can I do for
ATC	Roger, 747. Pick up a bit	Pilot	Cleared to land,	MIG	you?
	of speed 402.		wind 230 12 knots.	Pilot	I need to know what's
Pilot	What would you like 402?		Tell them to turn		going on up here. We're all
ATC	Er, 402, increase to 200 knots to the outer marker		down the lights, they're far too		running out of patience and
	then reduce to 180.		bright.	ATC	maybe fuel. Foxtrot 312, did you
	Report on final.	ATC	Too light confirm.	7110	request a diversion to
Pilot	402 increasing to 200	Pilot	Er affirmative,		Colorado Springs?
	knots to outer, then 180		too bright. Dim the	Pilot	Hey, I wasn't serious. Get
	report on final . By the way, she's a heavy for sure.	ATC	lights, please. Wilco, Cleared to		me down on the ground
ATC	OK, got you, 402.	AIO	land 10.	ATC	please, 312. Foxtrot 312, descend
Pilot	Approach, 402 on final.			7110	to altitude 60, wind 250
170	Speed 180.				degrees 14 knots
ATC	402, number one to land				You're number three.
	reduce to 150 cleared for straight-in.			Pilot	Report on short final.
Pilot	Cleared for straight-in.			FROL	Got it, descend to 60, wind 250, 14. Get back to you
	402.				on final. Foxtrot 312.

2

3

4

FLUENCY

1	Look at these news reports on landing incidents. Match each headline with part of an article
	below.

- a Airliner Belly-Flops on Blenheim Landing
- b Heavy Rains Close Runways
- c Plane Lands with Landing Gear Retracted
- d Nine Landing Jets Skid Off Runway in Three Months
- e Landing Only Delayed but Could Have Been Worse
- f Emergency Landing for JetStar in Three Week Old A330
- g Pilots to Undergo Training for Short Runway Landings

A Monarch Airlines flight was on Friday delayed in landing after the emergency communications system and all the landing lights at the airfield failed, according to sources close to the airfield.

According to a study reported in this paper, there were nine incidents in the last three months where passenger jets skidded off wet runways after landing at various airports.

The Civil Aviation Authority is investigating why a second airliner flight landing in Blenheim had problems with its landing gear in the space of a month. On June 18, a similar type aircraft flight belly-flopped on the runway after its landing gear failed to lower. All passengers were unhurt. The plane was still in a hangar being repaired on Friday.

The pilot did an inflight shutdown of the left-hand engine and landed the almost-new plane without incident. The aircraft has the capability of flying with one engine. It has a very experienced captain and crew on board. There was a fault found and he followed process to the letter and went to the nearest international airport.

What do you do if you are the pilot of a passenger jet that has to land in the middle of a monsoon downpour? During rains, when visibility drops below the permissible limit, no pilot is allowed to land. Air traffic control (ATC) tells them when the water level on the runway falls below the 3 mm benchmark. But that's about all the information they get. Levels of water 'contamination' are rarely reported.

6

Rio's Santos Dumont has a runway of just 1,323 metres so pilots are required to undergo extra familiarisation at the airport to ensure that they put the aircraft down precisely at the right speed to stop within the published figures.

7

As reported earlier, the aircraft was not configured to land. The landing gear was up and the flaps, normally down for landing, were retracted.

How often do you read about aviation incidents in the newspaper? Do you think newspapers cover aviation clearly, fairly, and accurately?

REPORTED SPEECH

When we talk about things that other people have said, we usually use said that or says that and the simple past tense.

The newspaper said that the plane had a 'soft landing', but a landing with gear up is never soft! When a small plane is lost, the news always says that the pilot didn't file a flight plan. But they never say that pilots of light planes often don't file a flight plan!

VOCABULARY

2 Complete these sentences using the words and phrases highlighted in the articles.


1	In the tropics, a often hinders pilots from landing.	
2	The cargo plane with jammed gear on the runway.	ZS-MHE
3	Flaps should not be for	- 55
	landing.	
4	The experienced flight engineer	The second second
	and soon solved the technical	All
	fault.	
5	Debris is the most common cause of	
-	on a runway.	
6	In such slippery conditions, the A320	
	the runway at excessive speed.	
7	with certain airfields is obvious	

PRONUNCIATION



Put the words in the correct column according to their stress patterns.

```
skidding • inadequate • hangar • landing gear • belly-flopped • configured • downpour • slippery • information • retracted • reported • incident
```



Listen and check your answers.

COMPREHENSION

4 Read the first part of the incident report. Do you have any experience with a similar situation? What happened?

Incident Report

The crew of SAS 105 received a call from ATC to advise them that airport staff had seen a wheel fall off the plane on take-off. ATC had contacted the company and they suggested the crew ought to divert to the alternate where maintenance facilities were better than at their destination. As it was only a short flight ATC thought they should continue to their destination because the weather at the alternate was very bad and the light was fading fast. In any event the plane would need time to burn off fuel and make preparations for landing. The company agreed that a daylight landing would be preferable and offered to help the crew with any decisions regarding the landing configuration at the destination.



5 Listen and complete the audio exchange.

Pîlot	There's no ECAM message	so you check the handbook now, so
	we can work out how to ge	t this thing down safely.
ATC	you	me to put you through to your company?
Co-pilot	Possibly – yo and then call back?	u give me a few minutes to check the handbook
ATC	Roger. 6 call yo	u back in two minutes,
Co-pilot	Thanks.	

Answer the questions.

- 1 What does ATC offer to do?
- 2 What does the co-pilot suggest?
- 3 What advice or opinion does the pilot give?

INTERACTIONS

6 Work with a partner to make suggestions or offer help and advice on the next likely course of action.

PARTNER FILES Partners A and B File 14, p. 73

USEFUL LANGUAGE

Couldn't you ... ?
How about ... ?
I suggest ...
Let's ...
Perhaps you could ...
What about ... ?

Why don't you ...?

Making suggestions

Offering help

Can I help by ...?
I'll ..., shall I?
Shall I ...?

Would you like me to ...? You should ... Giving advice or opinion

If I were you, I'd ...
I (don't) think you should ...
You'd better ...
You ought to ...

COMPREHENSION



Listen to the next part of the exchange. Were the air company's suggestions included in your list?



AUDIO

COMPREHENSION

- SAS 105 has informed ATC that they are ready to land. Listen. Answer the questions.
 - 1 What does ATC ask about?
 - 2 What does ATC tell SAS 105 to expect?
 - 3 How many people are on board SAS 105?
 - 4 How long is the foam carpet?
- 9 Read part of the newspaper article. Answer the questions.

PILOT AVERTS TRAGEDY

An A320 belonging to SAS and carrying a total of 237 passengers and 12 crew yesterday made a controlled emergency landing on a foam-covered runway. The pilot skilfully landed the plane, which had jammed landing gear, at reduced speed onto the foam and although it skidded to a halt just beyond the end of the runway, no one was injured. All the rescue services were on standby. The passengers were evacuated unburt in less than three minutes.

- 1 Do you know any similar stories of successful emergency landings? What happened?
- 2 Describe the emergency provisions at your local airport.

FLUENCY

10 Read the first part of the pilot's story. Then answer the questions.

TEN FEET TOO HIGH

The weather was good – a light wind, great visibility, and almost no cloud. I was five miles out and all set to land. I know the airfield well and joined in the left-hand circuit as usual, number three to land. I could see the other two – one on final and the other one joining from the north, ahead of me. I was at two thousand. I got down to twelve hundred and turned onto downwind, got the gear down, and cut the speed back to about a hundred knots. I was pretty close to number two, so I went out a bit further

than usual on the downwind leg, for separation.

Two miles, out I turned onto base. I still had visual with the other two. At a thousand feet, I reduced the thrust and turned onto final. The low sun at that time of day made it a bit difficult to see the runway. I was down to about 85 knots when heard number two say he was going around. I guess he had problems with the sun in his eyes. I saw number one touch down, and then I heard this horrific bang.

- 1 What was the weather like?
- 2 How many aircraft were coming in to land?
- 3 Why did the pilot extend the downwind leg?
- 4 What time of day was it?
- 5 Why did he think the second aircraft decided to go around?


11 Read the second part of the pilot's story. Then answer the questions.

The plane shuddered, but everything seemed to be working. I was pretty scared and just wanted to land, which I did without any problems. While I was still on the taxiway, ATC told me to stop and shut down. No one was sure what had happened, but we could see Fire and Rescue coming, so we got right out of the plane. Outside, of course, we could see the damage.

The whole of the upper fin on the tail was ripped apart. I guessed straightaway what had happened. I'd clipped the wires on the pylons. Someone had seen it happen we'd gone between the two wires hanging from the electricity pylons.

The top of the fin had hit the top wire between the pylons - if I'd been about ten feet lower, I'd have missed them!

- The diagram below shows his plane (3) over the water, about to join the circuit. Mark the route that the pilot took.
- Mark any possible alternative route.
- What other options did the pilot have?



12 Check you understand the meaning of the following landing problems and hazards. Have you experienced any? Which do you think are the most common?

- lighting systems failure
- 2 speed control problems
- 3 medical emergency
- 4 diversion
- 5 tail strike
- 6 runway incursions and excursions
- 7 technical problems (e.g., engine failure)
- 8 braking problems
- 9 bad surface conditions
- 10 bad weather
- 11 delays
- 12 flock of birds on the runway

L,	
2	
3.	
4.	
-	


What's different about the final incident?

Read the article and answer the questions.

OUTPUT

Flight TS 236 left Toronto at 8.52 p.m. on 23 August 2001 with 293 passengers and 1.3 crew members onboard. The 362-seat Airbus A330 carried 47.9 tonnes of fuel -5.5 tonnes more than required by regulations. The plane, manufactured in 1999, had been placed in service by Air Transat in April 1999.

Four hours into the flight, the pilots received warning of a fuel imbalance. They



28 minutes after an emergency was declared, engine number 2 on the right wing was out of fuel and flamed out. Captain Piché ordered full thrust from engine number 1 on the left wing. With only one engine, the plane couldn't stay at cruising altitude. TS 236 descended to 30 000 feet.

13 minutes later, engine number 1 flamed out. Flight 236 was now a glider. A ram air turbine, the only back up, supplied limited power to hydraulic and electrical systems. Piché did his best to fly the plane and Dejager monitored the descent rate about 2000 feet per minute. He calculated it would take 15 to 20 minutes before they had to ditch the plane in the water.

When the air base was in sight, the plane was too high and too fast, so Piché executed a series of side-slipping manoeuvres to lose altitude and slow the plane. They successfully lined up with runway 15/33, unlocked the slats and deployed the landing gear, but the airspeed was 200 knots, much faster than the preferred 130-140 knots.

20 minutes after the second engine failure, the plane landed at about 370 kilometres per hour. Several tyres burst when the brakes were applied, but the plane finally stopped in the middle of the runway. During evacuation, 16 passengers and two crew members were injured. Two passengers suffered serious, but not life-threatening, injuries. Most of the injuries were minor or very minor.

In 2002, Captain Piché was given the Quebec National Assembly's Medal of Honour for his heroic flight and landing of the giant glider that was TS 236.

C -Z GIA

ш


Do you know any other stories of a pilot using great skill to land a plane safely? What was the situation?

Do you know any other stories of 'lucky escapes'?

On the ground

STARTER

Look at the diagram. Match the list of names to the numbers on the diagram.



- a airside road
- b stand number and centre line
- c gate room
- d tug area
- e jetty/jetway
- f no parking area
- g Interstand clearway


- h low bridge
- i pier
- j stand
- k boundary between apron and taxiway
- l taxilane centreline
- m equipment parking area

What incidents might occur between landing and arrival at the stand?

VOCABULARY

1 Look at the pictures of situations on the ground. Match each picture to the correct word or phrase.

- 1 congestion
- 2 giving way
- 3 a major incident
- 4 no stand available
- 5 police/customs inspection
- 6 a truck going the wrong way
- 7 a technical problem
- 8 work in progress





2 Now match each of the comments with a picture above.

- 1 Can you believe this traffic today! It's like the streets of Bangkok!
- 2 Man, we got red lights all over the place out here.
- 3 It's always this way. I can never find a parking space!
- 4 I'm just letting the big guy get out of the way.

- 5 Whoa! Looks like we got an incursion coming up! Who does he think he is?!
- 6 Looks like that guy's gonna need to see a mechanic before he goes anywhere.
- 7 Hey, you know you got some guys digging a hole out here?
- 8 Looks like he's got some interesting passengers on board wonder where he's come from.

Can you paraphrase the above statements using more standard English?


The airport is congested today.

FLUENCY

Read this incident report. Then answer the questions.

n aircraft with two crew and 48 passengers landed on runway 24R and vacated the runway onto the rapid exit taxiway KC which is 46 metres wide. The weather conditions were clear; it was 50 minutes before sunrise and thus it was dark.

The captain brought the aircraft to a stop at the first junction along the rapid exit taxiway, the intersection with taxiway K and awaited taxi instructions. The tower said, Proceed via taxiway C hold at C1.



Plan of taxiway intersection KC, C, B

The captain taxied ahead and at the next junction, where he was expecting to turn right onto C. he saw a sign board to his right indicating taxiway A ahead. There are five payed surfaces which intersect at this junction; they are, in anticlockwise direction from the runway exit; KC, B (23m wide), C (23m wide) KC and B (see plan below).

The captain knew the airport and knew taxiway A was beyond taxiway C. Confused by the sign board and thinking that he had somehow passed taxiway C, he advised his co-pilot that he had missed the taxiway and turned hard right to get back to where he thought it was. While he was turning ATC issued further taxi instructions which the co-pilot needed to write down, taking his attention away from monitoring the aircraft's position. The captain in turning sharply thought he had cleared the edge of the paved area with the nose gear by about 2 metres and believing the aircraft was safely round, he reduced the turning angle.

ATC now advised that he had taken a wrong turn onto taxiway B, so the captain brought the aircraft to a stop. ATC then instructed the aircraft to proceed but as the captain applied power, he realized that the aircraft was stuck; the left main gear had sunk into the edge of the grass between taxiway B and taxiway C.

- It was dark. Was this a factor in the incident?
- 2 Mark on the diagram;
 - a X for where the aircraft first stopped;
 - b an arrow showing the route from this point to the intersection;
 - A for the likely position of the sign board;
 - d an arrow showing the route from the intersection onto the incorrect taxiway;
 - e O for the position of the left main gear when the pilot finally stopped.
- 3 Suggest an alternative position for this sign:



What do you think were the main recommendations of the incident report?

PRONUNCIATION

4 There are three ways to say -ed as a past tense ending. The words in the box all come from the above report. Put each word in the correct column.


/1d/	/t/	/d/
wanted	walked	called



Listen and check your answers.

STRUCTURE

5 Now use the pictures to re-tell the story. For each picture, use a word from the box.



	What do you think will happen next? How will the passengers get to the gate? What problems might they have?					
	SAYING WHAT WILL HAPPEN					
	First, the pilot will tell Ground that he needs assistance. Then, a truck will come out and help to move the plane. They'll need to be careful They might have a problem with After that, Finally					
_	INTERACTIONS Work with a partner to practise saying what will happ	oen.				
	COMPREHENSION	PARTNER FILES	Partners A and B	File 6, p.		
L	Listen. First note the call signs of the aircraft or other vehicle. Then listen again and note their location and any other information mentioned.					
	Call sign Location and other information					
1						
2		and the second				
3	Annual to take a street interest and the street and					
5						
6						
7						
А	inswer the questions.					
1	How many aircraft are communicating with ATC?					
2	1411					
1	FLUENCY					
c	Clear communication is the key to safety – even getting to the gate. Do you agree or disagree with					
	these six recommendations for clear RT communication?					
		Agree	Disagree			
1	Speak slowly.					
2	H1 1 1995					
3						
4						
5	If you don't understand, say so.					

Discuss your answers with a partner. Say why you agree or disagree.

6 Use only standard ICAO phraseology.

PRONUNCIATION

10 English uses a lot of words with groups of consonants that sometimes form difficult sounds.
Underline them in these words that you heard in exercise 8.

acknowledge construction
past continue
front foxtrot
works number
ramp standby



Listen and repeat.

FLUENCY

11 Read the article. Then change one word in each sentence below to make them true.

SHUT DOWN, TURN AROUND

The end of a flight often isn't the end of the working day for an airplane. Many planes make four or five trips a day, with an hour on the ground between flights. During this hour, the passengers disembark, their luggage is unloaded, the aircraft is cleaned, refueled, supplied with in-flight meals, and then reloaded.

What happens if you reduce a one-hour turnaround to 40 minutes? The plane may be able to make six or seven flights in a day. That, of course, means more income for the airline.

Does this mean forcing ground staff to work more quickly? Not necessarily. Research shows that the most time can be gained or lost in the reboarding process. It might seem obvious that loading a plane from back to front would be the quickest way. However, a study by Boeing found that loading from window to aisle significantly reduced boarding time and made turnaround quicker. Now many airlines have adopted this practice, and turnaround times are on the decrease.

Reduced turnaround times can cause problems, however. Small delays early in the day can make a whole series of flights run late. And of course quicker turnaround means more traffic and therefore busier airports.

- 1 Few planes make more than one trip per day.
- 2 Airlines can decrease their income by having more flights.
- 3 Refueling takes the most time of any turnaround task.
- 4 Loading the aisle seats first is the quickest.
- 5 A delay late in the day can cause problems all day long.

OUTPUT

Look at the pictures and read the opinions. Then answer the questions.

The future of flight?







The 'supers' are the most fuel-efficient airliners yet. Both have a range of over 8,000 miles, a service ceiling of 43,000 feet, and exceptional noise reduction. These planes will change jet travel forever.

The big airports are just getting bigger - more crowded, harder to move through. The future is in VLJs - very light jets - that can quickly fly into and out of smaller regional airports. One day soon, flying will be like





Sooner or later, people will have to stop flying so much. There won't be a technological solution. We need to change the way we live.

International travel has greatly improved the life of my family. People from other countries want to visit my country. They bring money and we are happy to host them. It would be terrible if





I can't wait to travel in space. It costs a million dollars now, but in 20 years, who knows? It will be great when ordinary people can take a holiday on the moon.

Do you know oil is going to run out? I think that's good, because then people won't be able to pollute the Earth's atmosphere. Planes are the worst.



OVER TO YOU

Which opinions do you agree with? Which do you disagree with?

How does aviation affect your life? For example, do you buy goods that arrive in your country by air? Does your country export goods by air?

How would you describe the future of aviation?

Test yourself!

See how much aviation vocabulary you know. Use the clues to complete the crossword puzzle.

Across

- 1 A word that means you agree to do something.
- 5 Someone ... aggressively may be unwell.
- 6 GHIST: Can you tell me when you've got the field in ...?
- 7 CIIINTVY: Avoid the ... until the air display has finished.
- 8 A unit of atmospheric pressure.
- 9 A first aid kit may be useful for minor ... incidents.
- 11 A fire ... is always carried in the cockpit.
- 13 CEERSU: An air-sea ... helicopter will assist anyone in trouble at sea.
- 14 De-... is done pre-flight in winter in cold climates.
- 15 A unit of speed.
- 19 Can you ... your heading, please?
- 20 Another word for wait.
- 21 A mixture of rain and snow on the runway.
- 22 A ... on the head may cause a headache.
- 23 Someone under the influence of alcohol is
- 25 ILS will lead to the ... path.
- 26 A pilot may dump ... rather than land heavy.
- 27 A tyre ... may damage the aircraft.

Down

- 2 A 360 degree turn.
- 3 BIIIILSTVY: Blowing snow reduces ... significantly.
- 4 CEEHILSV: Service ... help with aircraft preparation.
- 10 EECPTX: What time do you ... to be ready?
- 12 You'll probably find one at works in progress.
- 16 On approach, the captain tells the crew Ten minutes to
- 17 Another word for hold-up: There's a Your new time slot is at 1500.
- 18 If I did not understand I ... say Say again.
- 19 Just before push-back, the ... are removed from the plane's wheels.
- 20 Mayday is a call for immediate
- 21 Another word for gate.
- 22 A ...-flop is a gear-up landing.
- 24 A word that means you have received and understood a message.
- 28 Name the airside vehicle used for push-back.

Partner Files

UNIT 1, Exercise 3

File 1

Partner A

1 Call an Air Traffic Service Unit (ATSU) and pass your message. Use the ICAO phonetic alphabet to spell unfamiliar names.

Communication 1

Gatwick Approach, Speedbird 209. Flight level 110. Heading 100. ETA Isle of Mann 1005.

Communication 2

Shanwick Control, BD-744A requesting Oceanic clearance. Estimating 58 West, 10 North at 1310 UTC. Requesting Flight Level 350, Mach .80.

Communication 3

Speedbird 567-A is cleared 16 000 on 1010 hPa. Expect to cross GOOSE level at 120, speed 250 knots.

Listen to the communication from Partner B. Record the information you hear.

UNIT 2, Exercise 12

File 2

Partner A

Parallel routes across the Atlantic are always busy. Today is especially busy. You are the pilot of a Boeing 767 preparing for a transatlantic flight.

- · You are due to push back at 25.
- . It is now 1420. Your passengers are still boarding.
- . There is also a 10 minute catering delay.

Negotiate a new slot time. You want a slot time of 40.

You begin: Ground, B767. We are due to push back at 25, but ...

Continue the conversation:

Can we ...?

The passengers are ...

We have a problem with ...

We're going to call the catering company and ... We're going to be ready in ...

UNIT 3, Exercise 12

File 3


Partner A

You are ATC Ground. Begin an exchange with Speedbird 556.

Direct Speedbird 556 from stand D12 to the holding point.

Give hazards warnings.

Note additional hazards reported by Speedbird 556. Begin: Speedbird 556, push-back approved ...



UNIT 4, Exercise 11

File 4

Partner A

Give the following information to your partner:

Situation 1


YB, fast moving traffic at 2 o'clock 6 miles crossing right to left. 1000 feet below.

Situation 2

YB, turn left immediately heading 270 opposite traffic at 12 o'clock.

Situation 3

YB, stop climb at FL 190 due to converging traffic 10 o'clock, 15 miles 1,000 feet above.



UNIT 5, Exercise 6

File 5

Partner A

B) 08/02/14 00:01 UTC C) 08/05/14 23:59 TO HELP WITH FLT PLN, ACFT INBD TO ADVISE ASAP IN APCH IF UNABLE TO COMPLY WITH SPEED RESTRICTION.

BE AWARE CRANE OPR AT 138FT AMSL 470M-620M W OF ool THR. 180M-290M S OF ool CL. CRANE TO BE LOWERED FOR LDG AND DEP ACFT.

BE AWARE TWY A AND TWY M UNAVBL AS PERM CLSD FM RWY TO TWY Z DUE WIP

Unit 8, Exercise 7

File 6

Student A and Student B

Read the report below. With a partner, re-tell the

First, the pilot vacated ... Then, he was cleared ... After that, he reached ... and turned ... Finally, the wing ...

REPORT

After landing the pilot vacated the runway to the left. He was given clearance to the stand via taxiways A and B. When he was abeam the threshold he turned left towards the stand area. As he turned, his right wing struck the edge of a marker board which indicated the holding position for the runway.

Now use your own ideas to say what will happen

- · Decide whether the incident is likely to be hazardous.
- · Decide what precautions may be taken.
- · Decide what services may be needed.

First, ... Then, ... After that, ... Finally, ...

UNIT 6, Exercise 17

File 7

Partner A

Put the requests in the correct order. a you for change Would this tyre me?

- b you truck? move Can this
- c you Do lowering the mind stairs?

Match each request above to a situation. Then make each request to Partner B and listen to the response.



Situation 1





Situation 2

Situation 3

Put the responses in the correct order.

- a A320. it's the for Sorry, booked
- b course. Of and Milk sugar?
- c | a back. Sorry, have bad

Listen to Partner B's request for each situation. Choose and give the best response.



Situation 4



Situation 5



Situation 6

UNIT 1, Exercise 3

File 8

Partner B

- Listen to the communication from Partner A. Record the information you hear.
- 2 Call an Air Traffic Service Unit (ATSU) and pass your message. Use the ICAO phonetic alphabet to spell unfamiliar names.

Communication 4

London Control, United Air 955. Flight level 90. Heading 230. ETA Saint Abbs Head 1005.

Communication 5

Roger, Prestwick. 317A is cleared 58 North 10 West, 60 North 20 West, 60 North 30 West, 60 North 40 West, 58 North 50 West, PORGY. Maintain 350, Mach .80.

Communication 6

UK Air 298-A Heavy, taxi to hold R for runway 31. QNH 1016. FALCON 4F departure. Squawk 7412.

UNIT 2, Exercise 12

File 9

Partner E

You are a ground controller giving clearance to a transatlantic pilot. On southern routes, a mid-Atlantic depression is causing strong winds and more bad weather is forecast.

- Some flights have already changed to northern routes and these are becoming congested.
- Delays are building up.
- It is now 1420. You can only allow a 12 minute delay.

Listen to B767 and respond: Yes, you can't.

I can allow ...

You can delay until ...

There's a problem with ...

Are your passengers ...?

I'm (not) going to allow ...

UNIT 4, Exercise 11

File 10

B7

Partner F

Give the following information to your partner:

Situation 4

YB, look out for slow moving traffic 6 miles ahead of you.

Situation 5

YB, traffic to your right. 6 miles overtaking - heavy - same level.

Situation 6

YB, traffic 9 o'clock 8 miles parallel DC 10 1000 feet below climbing.

Partner B


UNIT 3, Exercise 12

File 11

You are Speedbird 556 pushing back at D12.
Listen and mark route from stand D12 to the holding

Note hazards given by ATC.

Advise ATC of any hazards not given/provided by ATC. Partner A will begin the exchange.




UNIT 5 Exercise 6

File 12

Partner B

B) 08/01/28 09:58 UTC C) 08/04/28 09:00 NO TWY CL AT INT OF TXY ALPHA AND KILO. ALSO TWY A LGT PARTIALLY U/S AND ONLY AVBL BTN HOLDING POINT ALPHA AND S END OF APRON. TKOF OBST: TREES MAX HGT 34-57 FT AGL 64-81FT AMSL

BE AWARE CIRCUIT PROC CHANGED. FOLLOWING TKOF RWY 27 HDG IS NOW 210 DEG. FURTHER INFO AVBL FM TWR 01987 510006



riie 1

UNIT 6, Exercise 17

File 13

Partner B

Put the responses in the correct order.

- a I the have key. Sorry, don't
- b they're afraid I'm broken.
- c no Sure, problem, take It'll hour, an

Listen to Partner A's request for each situation. Choose and say the best response.



Situation 1





Situation 2

Situation 3

Put the requests in the correct order.

- a for I you coffee? a ask Could
- b gate 51? Would mind if you we at park
- c Would this? you me help with

Match each request above to a situation. Then make each request to Partner A and listen to the response.



Situation 4









Situation 6

UNIT 7, Exercise 6

File 14

Use the procedure for landing with abnormal gear, together with your own knowledge, to do the role play.

Partner A

You are the pilot. Suggest actions to be completed before the landing.

Example: You'd better prepare the cabin crew for a rough landing.

Partner B

You are the co-pilot. Give your opinions and advice in response to the pilot's suggestions.

Example: I'll tell them to get the passengers in brace position for landing, shall 1?

LDG WITH ABNORMAL L/G

PREPARATION
- CABIN CREW NOTIFY
- ATC NOTIFY
- GALLEY OFF
 IF NOSE L/G abnormal
- CG location (if possible) AFT
- OXYGEN CREW SUPPLY OFF
- SEAT BELTS/NO SMOKING ON
- CABIN and COCKPIT PREPARE
APPROACH
- GPWS SYS OFF
- L/G LEVER CHECK DOWN
- GRVTY GEAR EXTN
handcrank TURN BACK TO NORMAL
- AUTOBRAKE DO NOT ARM
- EMER EXIT LT ON
- CABIN REPORT OBTAIN
BEFORE LANDING
- BRACE FOR IMPACT ORDER
FLARE, TOUCHDOWN AND ROLL OUT
- REVERSE DO NOT USE
 IF NOSE L/G abnormal
- NOSE MAINTAIN UP
- ENG MASTERS OFF
WHEN A/C STOPPED
- ENG and APU FIRE push button PUSH
- ENG and APU AGENT DISCH
- EVACUATION INITIATE



Answer key

page 5

STARTER

PILOT FLIGHT 71

←→TOWER CONTROLLER

←→CO-PILOT FLIGHT 71

←→CABIN CREW FLIGHT 71

←→PASSENGERS FLIGHT 71

CO-PILOT FLIGHT 71

←→TOWER CONTROLLER

CABIN CREW FLIGHT 71 ←→PASSENGERS FLIGHT 71

PILOT G-SC27

←→TOWER CONTROLLER

a C61 b C63 c C and 3

a FL100 b 3800 c left and right

Possible answers:

Pronunciation - C63 instead of Charlie 63

Structure - Number give me.

Vocabulary - confusion of left and right

Fluency - ATC in exchange 2

Comprehension - Ground in exchange 1

Interactions - both exchanges

pege 7

Are you a controller or a pilot?

Do you speak any other languages?

Have you ever been abroad?

When did you last travel by plane?

Does your company provide English training courses?

Has your English improved in the last ten minutes?

1b 2d 3a 5 c 6 f

a2 b4 c1 d5 e3

The controller does not understand plain English.

Spoke clearly; re-phrased and used different

Asked a colleague for help.

violent

5 aggressive

unruly

ground

3 hit services

drunk

remove

page 9

1 violent, unruly, drunk

2 hit

ground 3

10

Occasionally

8 rarely

standard

9 sometimes

usually

10 often

plain

11 local

non-standard

12 never

unnecessary

13 always

usually

epage to

keep up

check out

2 get back

6 pass over

3. stays up

7 get to

come in

try

Have you got the field in sight?

make a low pass

a bit longer

for the time being

let me know

check out

Can I ...

Do you want to ... ?

10 Identified.

Exchange 1

Can I keep up this high speed a bit longer? For the time being, ves. I'll get back to you in a minute.

Good morning not necessary.

2 Controller allows pilot to continue at high speed.

Standard phraseology is preferable here: Request maintain 350 knots until way point. Affirmative.

Expect further instructions in one minute.

Exchange 2

will you let me know what your intentions are for the main landing gear?

We'll try to lower the gear again, but if I'm still unable to release the nose gear - if it still stays up, then we'll land with all three up.

Do you want to come in for a low pass? We can check out your landing gear when you pass over. Have you got the field in sight? When I get to you the gear should be down. OK, make a low pass over runway two tree for a landing gear check.

- Nose gear.
- Visual check of landing gear low pass over runway 23.
- 3 Land with all three sets of gear up.

page 11

Possible answers:

Situation 1: Can you confirm any reports of wind shear?

Situation 2: Say again reason for priority landing. Situation 3: Tower, light aircraft crossing. Can you please confirm clear to land?

Situation 4: B757, Tower. (This would be repeated until a response was received.)

STARTER

- 1 Beriev Be-103 amphibious plane
- 2 Airbus A300-600ST Super Transporter Cargo Aircraft
- 3 Cessna Skycatcher light aircraft
- Gulfstream executive jet
- Airbus A380 airliner
- Sikorsky S61N helicopter

1					
Α		₿		C	
1	b	1	c	1	ε
.5	а	2	b	2	þ
3	Ç '	3	a	3	a

-			
1	þ		10 p
2	d		11 M
3	r		12 i
4	е		13 l
5	f		14 J
6	g		15 k
7	C		16 0
8	b	•	17 9
9	a		18 n

3		
	-6-0	_

3				
Ĺ	checks		9	wear
2	surfaces		10	leading
3	strike	A.	11	engine
į	lightning		12	blades
5	foreign		13	fuselag

6 vehicles

14 doors

7. damage

15 hatches

8 undercarriage

Possible answers:

- a flight manuals
- smoke hood, medical kit, oxygen bottle
- pilot (searching cockpit)
- aircraft documents
- load sheet
- pilot, checklist

5			100	
1 b	D		4 3	
2 C	E	1.4	5 d	F
3 €	A		6 .f.	C

items to carry:

registration certificate, air operator certificate, insurance certificate, environmental (noise) limitation certificate, aircraft radio licence, NOTOC = NOtice TO Captain (= dangerous goods notification to captain), air worthiness certificate, instruction manuals, oxygen bottles, first aid kit and other equipment

Items not to carry: suspicious items/explosives

- troubleshooting
- first aid kit
- 3 dangerous substances
- 4 routine procedures
- stowed
- 6 smuggled

picture A:

Reference books, such as manuals and handbooks, can be used to check non-routine procedures if anything unusual occurs during the flight.

picture B:

The portable oxygen cylinder can be used in a medical emergency or for high-altitude flying in a small plane; the smoke hood can be used if there are fumes or smoke in the cockpit; the medical kit is used for medical emergencies.

picture C:

Security screening of baggage, airline staff and passengers, personal searches, restrictions on amounts and content of baggage.

picture D:

Aircraft registration certificate, air operator certificate, insurance certificate, environmental (noise) limitation certificate, radio operator authorization

picture E:

NOTOC informs the captain of any materials on board that may require special handing or procedures in the event of an emergency, e.g. chemicals which may support combustion/produce toxic fumes, radioactive materials, live animals, etc.

picture F:

Possible problems:

difficulty securing doors and/or hatches, damage to fuselage/door seals during loading, cracked windscreen, problems with the radio, damage to engine/fan blades following bird ingestion, hydraulic fluid/oil/water/toilet leaks, mismatch between actual load and documentation, lack of wheelchair provision for disabled passenge, low tyre pressure. damaged tyre, faulty lights, obstructed pitot tube

page 16

- The first one uses standard phraseology. The second uses plain English.
- 2 No standard phraseology for non-routine event.

Exchange 1 1b 2a Exchange 3 1a 2c 3b Exchange 3

1C 2a 3d 4b

- 1 A radio problem. (He's not transmitting well.)
- He thought he needed documents to take live snake into Malaysia.
- 3 Yes. The computer failed and didn't produce a

10 13 Part 10

- cargo, problem, something, pitot
- والمعجور هراف الأراب والمتاث

Possible answers:

- 1 Cargo loaders say we have a problem with the cargo door.
- There's something wrong with the baggage loader. 👑
- There's a problem with the stairs.
- Your cargo door is open.
- There's oil on the apron.
- 6 I can see a chock blocking your way.

page 18

- 1 airport name
- ATIS phonetic alphabet code (e.g. information Bravo)
- Zulu rime
- instrument approach procedures in use
- wind direction and speed
- visibility
- cloud cover/ceiling
- temperature
- dewpoint
- 10 altimeter setting
- 11 runway(s) in use
- 12 relevant NOTAMs or weather advice/remarks or other information

14					٠.			
1	C	3	d		5	a	7	¢
2	b	4	b		5 6	ď	8	C

15

Luton

Bravo

- 300 degrees at 8 knots
- 5 km
- 3000 overcast
- 15
- 8 8
- QNH 998 hPa.
- 10 approach 26 left and 26 right. Departures 26 right
- 11 none

page 19

16	;				
1	j			6	h
2	b	•		. 7	d
	c		5.	8	e
4	f			9	а
-	~	•		48	ì

message 1: picture 1

message 2: picture 4

message 3: picture 3

message 4: picture 2

message 5: picture 10

STARTER

1	C	G	7	h	G
	d,	G	0	•	G SG
3	b	G G SN	و	g	SN SG G
4	е	SN	10	J	SG
5	f	SN	11	a	G
6		SG	12	k	SM

page 22

- 1 h spraying Icy wings
- transporting passengers į
- putting out fires
- carrying cargo
- delivering kerosene c
- 6 i transporting construction materials
- repairing flat tyres
- reversing planes
- 9 getting rid of compacted ice
- clearing debris 10 b

page 23

- BA bus number 5
- **UAL 439**
- **RYR 372**
- fire tender
- de-icer
- RYR 355
- maintenance truck
- sweeper

- He's got a radio problem.
- 757 on taxiway 2 3
- She's got a problem, a flat tyre.
- Taxi slowly = move forward at a slow speed. Taxi with caution = be very careful moving forward.

F10 24

- 1 should
- 4 are allowed to
- mustrit 2
- have to
- 3 don't have to
- down 1
- 4 around
- off 2
- 5 on
- 3 back
- 6 up
- 8
- Can I change stand?
- I have to be near our maintenance area.
- I have a flat tyre on the nose gear.
- Hang on a minute.
- Did you get my message?

page 25

- Taxi with caution due to works.
- Hey, I can see lots of works.
- Request closest available stand.
- Is that possible?
- I don't want to be difficult.

- 11 1 on
- 3 at
- 2 at 4 at with

page 26

- 1 Because a snowplough is going towards the intersection
- 2 Because the de-icing has been done and now she is delayed
- Yes, she lost one slot time and is concerned that she will lose the new one.
- 40
- No, he has to wait.
- To wait for the snowplough and sweeper
- Gusting winds and wind shear
- Snow banks and compacted snow

- dense fog
- gusting winds
- severe thunderstorms
- flash flooding
- broken clouds 5
- blowing dust
- C
- 7 drifting snow
- scatter showers
- tropical storms

Possible answers, but students can give more specific answers using places in their own country as examples:

- dry, desert areas
- northern latitudes
- anywhere that receives most of its rain during one season
- desert areas
- moderate maritime climates
- coastal regions; the term is usually for tropical storms in the North Atlantic Ocean
- moderate maritime climates
- coastal regions; the term is usually for tropical storms in the Western Pacific

15 1 F	3 F 5 F	UNIT 4 3
2 T	4 T 6 F	Page 29
		400000000000000000000000000000000000000
mechanical and surge, Human fact sick pilot Weather co snowfall, p Emergencie emergency Other caus	problems: break-down, malfunction, I problems, engine failure, engine stall jammed doors tors: unruly passengers, sick passengers, anditions: de-icing, flash flooding, heavy poor visibility es: collisions, engine on fire, medical terrorism es: fuel spillage, de-icing, being stuck in olice/customs control, blocked runway,	a 7 c 4 e 3 g 6 b 1 d 5 f 2 1 vehicleson the runway; plane entered runway at wrong point 2 BVL 3 6 miles 4 right 5 Continue heading 6 130 degrees 7 15 knots
	ursion, industrial action, lost luggage,	
animal on t		Final responses b (1) We'll need to file a report on this right away.
P-089.27.22	· · · · · · · · · · · · · · · · · · ·	f (2) Maintaining flight level 190. Left turn
17		heading 270 after GANET. BVL.
Possible ar		e (3) Descending immediately flight level 80.
	a burst tyre.	N355.
,	or won't close.	c (4) Climbing 120 heading 350. Call you reaching GBL.
	s seem to be going on to the plane. Jine is on fire.	d (5) Maintaining 6000 feet. Heading 050. N3E.
	ot appears to be sick.	g (6) Climbing flight level 160. Heading 130. D6V.
	a horse on the runway.	a (7) Confirm fire brigade on the way.
18		page 30
a major en	gine fallure	2
page 28		1 b 3 g 5 f 7 d 2 a 4 c 6 e
20		and the state of t
Sample an:		S Lt let bet 3.55
Ground:	Iberia 324, proceed to holding point Lima and prepare for departure.	service wish approach
Pilot 324:	Iberia 324, proceeding to holding point Lima. Will report when ready for departure.	instead sure change sorry check say
Ground:	lberia 324, hold at intersection Delta Alpha. We have traffic problems, so	4 1 Did 4 Did 2 Are 5 rather
Pilot 324:	expect some delay. Roger control, will hold at the intersection and await further instructions. Iberia 324.	2 Are 5 rather 3 instead 6 Can
Ground:	Iberia 324, I'm pleased to say the	Affirmative: Yeah, it's fine. Yep, that's fine. Yes,
And the second s	traffic problems are over, continue to holding point Lima, prepare for departure.	please. As you wish. Sure. Negative: Sorry, no.
Pilot 324:	lberia 324, thanks for that, continuing to holding point Lima, prepare for	5
Ground:	departure. Iberia 324 line up and hold.	1 above 5 near 9 behind 2 on 6 in front of 10 next to
WINGHIA-	word tee out up offe (Mill).	

Iberia 324 line up and hold.
Iberia 324 line up and wait, ready for departure.

iberia 324 cleared for take-off.

Pilot 324: Cleared for take-off Iberia 324.

Ground: Pilot 324:

Ground:

5			The state of the s		
1	above	5	пеаг	9	behind
2	on	6	in front of	10	next to
3	at	7	over	11	into
4	across	8	beyond	12	below

1 above/next to 2 language

7								
1	across	. A-		5	in	front o	of .	
2	into			6	b	ehind		
3	above			7	n	ext to		
4	below			8	be	eyond		
8								
1	g	3	b		5	h	7	f
2	C .	4	ď		6	е	8	a

page 33

10

- 1 Look out for slow-moving traffic six miles ahead.
- 2 Avoiding action. Turn <u>left</u> immediately, heading 125.
- 3 Opposite traffic at 12 o'clock.
- 4 Traffic to your left two miles. Overtaking FL 90.
- 5 Fast-moving traffic at 2 o'clock crossing right to left.
- 6 Conflicting traffic at 6 o'clock.
- 7 Traffic 5 o'clock <u>parallel</u>. 1000 feet <u>below</u> <u>climbing</u>.
- 8 Maintain FL 150 until further advised.
- 9 You're well clear of traffic.

11

Students' drawings should match the ones in the corresponding Partner File.

12

1 some 3 any 5 any 7 any 2 some 4 some 6 any 8 some

page 34

13

Possible answers:

Pilot reports -

AMX 341: Severe turbulence after FALCON.

SHD 24: Wind shear on leaving Lahoa.

BMM 38: CB/moderate icing after PUFIN.

AFL 397: Moderate turbulence at WADER.

BEE 26: Moderate turbulence at WADER.

ATC warnings -

CFP 86, hail storm ahead.

AFL 397, slow-moving traffic ahead.

BAW 63, moderate turbulence at WADER.

BEE 26, moderate turbulence, severe icing, CB cloud

BMM 38, scattered cloud ahead.

SHD 24, severe turbulence after FALCON.

RMV 242, thick fog ahead.

page 35

14

The vibration was caused by tyre debris from the tyre burst entering number one engine.

15

1 Before

4 As soon as

2 When

5 After

3 While 6 Once, until

page 36

16

Possible answers:

- Loose or broken fan blade, bird ingestion, door not properly locked, nose-wheel shimmy, compressor stall
- 2 Can cause plane to skid off runway, wheel damage
- Because of the damage to the engine
- 4 Students' own answers

UNIT

page 37

STARTER

- 1 hot air balloons
- 2 fuel dumping
- 3 weather balloon
- 4 in-flight refuelling
- 5 air display
- 6 demolition of explosives
- 7 hang gliding
- 8 parachute jumping

1 d 3 a 5 c 2 c 4 d b

Not pictured: inoperable warning light, fireworks display

page 38

2

- approximately 4 miles north-east of current position drifting right to left
- 2 inoperable warning light
- 3 fuel dumping
- 4 in-flight refuelling
- 5 30 minutes

3

Air display and associated intense aerial activity including jet and propeller aircraft plus helicopters. No aircraft is to fly within an area of circle radius 3.5 nautical miles, centred at fifty two degrees and five minutes North zero degrees eight minutes East unless approved by Air Traffic Control. Pilots to exercise caution in the vicinity. For Operations information contact telephone number 07780-870-476

4			4.第一个		
	Activity	1000	1200	1400	1600
Merthyr	hang gliding	no	yes	yes	yes
Land's End	free-fall parachuting	yes	no	RO	по
Brecon	fighters	no	yes	yes	yes
Beacons	training		_	,	
Bath	hot air	no	yes	yes	no
	balloon				
	event				,
Hatfield	laser testing	no	no	no	no
5 /ə/ balloon until avoid	/A/ dumpin jumpin			play wnwind	Ė
/e/	/æ/		/er,	<i>i</i>	
testing	parach	ute	las	er	
demolition	hang	• 1	tra de	ining lay	
jouj	/aɪ/			Y : 4 %	
explosives	fighter	\$	7 (1.48		
zero	flight		6		
controlled	gliding				

page 39

Student A example answer:

This warning is for February the 14th, 2008 from 0001 hours until May the 8th 2359 hours coordinated universal time. To help with flight planning, aircraft inbound should advise as soon as possible on approach if they are unable to comply with speed restrictions. Be aware of a crane operating at 138 feet above mean sea level, 470 metres to 620 metres west of runway og left threshold and 180 metres to 290 metres south of runway og left centreline. The crane will be lowered for landing and departing aircraft. Be aware that taxiway A and taxiway M are unavailable because they're permanently closed from the runway to taxiway Z owing to work in progress.

Student B example answer:

This warning is for January the 28th, 2008 from 0958 hours until 0900 hours co-ordinated universal time on April the 28th, 2008. There is no taxiway centreline at the intersection of taxiways A and K. Also, the taxiway A lighting is partially unserviceable, and only available between holding point A and the south end of the apron. There is a take-off obstacle: trees with a maximum height of 34 to 57 feet above ground level, which is 64 to 81 feet above mean sea level. Be aware that the circuit procedure has changed. Following take off from runway 27, the heading is now 210 degrees. Further information is available from the tower on 01987 510006.

a b	better more comfortable	C	further
2 8	slowest	b	more serious
3 a	nearest	b	stronger
8	udents own answei	re.	Passible answers
			•
	e A380 is the newe		-
	ie A380 has the lon	-	
	e biplane is smalle		
T	ie twin-engine plani	e i	is bigger than the biplane.

Possible answers:

- 1 Exchange 2
- 2 Exchange 1
- 3 Exchanges 2 and 3

Unlikely to get worse: turbulence, suspected tyre burst, icing, overflight/clearance refusal May get worse: fumes in cabin, air rage/drunk, animals loose, warning lights, smoke alarms, bird strikes, suspicion of possible structural failure May become life threatening. Serious fire in cabin Life threatening now: loss of engine power/unable to maintain height, explosive decompression

page 41

10

1 b c 10

page 42

12

1

а Yes.

ь Six miles.

An engine fell off.

b Runway 6 left.

3

There may be an oil leak. а

The Fire Service board after the passengers disembark.

13		5 5 6 0			3	
1.	e	3 l 4 f	-5	ħ,	7 d	9 t
2	g	4 f	6	C	8 æ	-/- 10 j

page 43

14

3 C z b h

15

- Testing Lewis's skills, or possibly joking
- My instructor has collapsed.
- 3 Students' own answers

UNIT 6

page 46

Part 1

- 1 Flight 276 has joined the hold at Wessex Airport, where there are severe delays.
- 2 Jet blast damage just behind the threshold
- 3 Before 2300
- 4 Noise abatement regulations
- 5 At least half an hour

Part 2

1 Quite a while

2 Descends to 6000 feet

Part 3

- 1 Divert to Exeter
- 2 Because the noise curfew is going to take effect.

Substitution of the

	W H	3 H 4 W		٠,
3	es of the	* - Y.,		
1 2	.g	3 a 4 e	5 b 6 f	÷

page 47

4

Possible answers:

It snowed last Friday/four days ago. The snowstorm lasted from 1000 to 2400.

They cleared the runway early Saturday morning. It took six hours.

There was heavy fog two days ago. It lasted for two and half hours.

It was sunny yesterday. The sunshine lasted from 1145 to 1600.

There was a thunderstorm this morning. It lasted for four hours.

5

apologise

5 apologies

2 afraid

6 know

3 can't land

7 continue

a diverted

8 available

page 48

6

1e 2f 3a 4b 5d 60

7

Example answers:

If you set the QNH on your altimeter, it will read 65' at touchdown.

If you arrive from the east, you'll use approach frequency 129.8.

If you want to know the altimeter setting in hPa, you'll have to request it.

If you miss your approach, you'll climb on 099° to 3040 feet.

If you follow track 099° at 2040 feet, you'll intercept the glideslope.

13

plane a AFL 339

plane d. AUA 26

plane b DLH 1390 plane e BAW 34

plane c AZA 29 plane f BAW 440

9

1 2400 metres

5 1008

2 26

6 220 knots

3 28

7 190 knots

4 1500 metres

Other measurements that can be expressed in a variety of units — speed: ms⁻¹ (correctly said as metres to the minus one, but often just said as metres per second); m/s (metres per second); km/h (kilometres per hour); knot; mph (miles per hour); Mach. Pressure: MB (millibar); hPa (hectopascal); atm (atmosphere); mmHg (millimetres of mercury). Temperature: K (Kelvin); °C (degrees Celsius or centigrade); °F (degrees Fahrenheit)

page 50

10

- 1 Information Romeo
- 2 time 2000 Z
- 3 cloud ceiling 8000 scattered
- visibility 14 km
- 5 temperature 44 °C
 - s wind 310°, 8 kt
- 7 altimeter 30.00 mmHg
- 8 expect ILS or visual to runways 24 and 33
- 9 advise on contact you have message, Romeo

12

The pilot probably got distracted while he was preparing to land.

13

Possible reasons for going around: weather conditions, runway conditions, landing gear problems, concerns about speed and weight, an obstruction on the runway

- 1 180 knots
- 2 mix of slush and rain, standing water
- 3 KLM 405 is heavy and fast for conditions

page 51

14

- 1 KLM 405 asks about the runway.
- 2 Approach says it's wet with some aquaplaning and good braking action.

15

1d 2c 3a 4b

16

- 1 Hang on signifies a change of plan.
- 2 There's a lot of traffic.
- 3 heading o6o
- 4 b
- 5 8

17

Situation 1

- A Can you move this truck?
- B Sony, I don't have the key.

Situation 2

- A Do you mind opening the door?
- B I'm afraid it's broken.

Situation 3

- A Would you change this tyre for me?
- B Sure, no problem, it'll take an hour.

Situation 4

- B Could I ask you for a coffee?
- A Of course. Milk and sugar?

Situation 5

- B. Would you mind if we park at gate 51?
- A Sorry, it's booked for the A320.

Situation 6

- B Would you help me with this?
- A Sorry, I have a bad back.

16

- 1 2500 feet
- 2 The QNH setting was wrong.
- 3 A tall mast in the vicinity
- 4 An operational problem

UNIT

page 54

- 1 1 e 3 a 5
- d 4f 6g

page 55

- 1 monsoon downpour
- 2 belly-flopped
- 3 retracted
- 4 followed process to the letter
- 5 contamination
- 6 skidded off
- 7 Extra familiarisation

page 56

3

Inclident

configured information inadequate

skidding hangar

landing-gear retracted

downpour

belly-flopped reported

slippery

1 why don't

7 shall

2 Would

8 ought

3 like

9 Couldn't Same See

4 perhaps 5 could 10 You'd better 11 don't think

6 111

12 were you

page 57

- 1 Connect the pilot with the company.
- 2 Check the handbook.
- 3 He assumes the gear will collapse on landing. He suggests shutting down on landing.

page 58

8

- 1 the fuel situation
- 2 a foam carpet
- 3 245 (237 passengers and 8 crew)
- 700 metres

10

- 1 good: light wind, great visibility, almost no cloud
- 2 3
- 3 to increase separation from the plane in front
- 4 evening (sunset)
- 5 He thought the sun might have been a factor.

page 59

11

- 1 The line should go from plane 3 to the orange line just behind plane 2. It then follows the yellow circuit line onto the crosswind and downwind legs to above the houses, where it continues straight over the power lines (rather than following the left turn of the yellow line onto the usual base leg). It turns left above the power lines, then left again in line with the yellow final approach line, where plane 1 is currently shown. Finally, it goes between the wires of the power lines and joins the yellow final approach line.
- 2 Students' own answers
- 3 Students' own answers

page 60

12

- 1 heavy slush and braking concerns
- 2 some lighting missing, some lighting was too bright
- 3 heavy rain, strong crosswinds, and wind shear
- 4 vortex wake
- 5 passenger with a heart attack

The final incident is a pan-pan call, therefore an urgency message.

Unit 8

page 61

STARTER

1	1		5	Q.	9	g
2	h		6	· C.		
3	а	24.14	7	f	11	.k
4	m.		8	e	 12	h

Possible answers:


aquaplaning, collision, wrong turn, flat tyre, hitting an animal, and others

•		10 miles		4.5	
1	C	. 3	h	5 e	7 b
2	d	4	f		8 g

- The airport is congested today.
- The emergency services are out.
- 3 My stand is unavailable.
- I'm giving way to a larger aircraft.
- There's an unauthorized vehicle on the 5 runway.
- 6 Ь That plane appears to have a serious mechanical problem.
 - Maintenance workers are making a hole in the ground.
 - Customs officials are inspecting that aircraft.

page 63

No, all the signboards were illuminated and the weather was clear.



- Students' own answers
- Possible answer: trial surface markings in addition to sign boards and review positions of sign boards.

page 64

4		
hd/	/t/	<i>[d]</i>
landed	reduced	taxled
vacated	missed	turned
awaited		confused
instructed		realised

The plane landed and vacated the runway. Then the captain awaited instructions. He was given them. and taxled ahead. While taxiing, he was confused

by a sign board. He thought he had missed taxiway C, so he turned hard right and then he reduced the turning angle. Finally, he realized he was stuck.

В	. P. 1985 T. S. 1887 T. 1884 T. 1884 T. 1884	and the second of the second o
1	American 99	holding behind 757; cleared to gate 47
2	Delta 31	short of M; cleared to stand 54;
		has to give way to A320
		short of MA; cleared to gate
4	Maintenance 21	stand 27; cleared to L via Z and A
5	Jetblue	reports an incursion by a flat- bed truck
6	China 982	holding; confusion about directions left/right
7	Freedom 6182	blocked by Air China; cleared to gate 52

- 1 Six aircraft are communicating with ATC.
- 2 A maintenance vehicle.

page 66

10	100
a <u>ckn</u> owle <u>dg</u> e	con <u>struct</u> ion
pa <u>st</u>	co <u>nt</u> inue
<u>front</u>	fo <u>xt</u> rot
wo <u>rks</u>	nu <u>mb</u> er
га <u>тр</u>	sta <u>ndb</u> y

12

- 1 Few Many planes make more than one trip per
- 2 Airlines can decrease increase their income by having more flights.
- Refueling Reboarding takes the most time of any turnarnund task.
- Loading the aisle seats first last is the quickest. Loading the aisle window seats first is the aulckest.
- A delay late garty in the day can cause problems all day long.

page og

ı Wilco	ay delay
2 orbit	18 Would
3 visibility	19 (across) confirm
4 vehicles	(down) chocks
5 behaving	zo (across) hold
6 sight	(down) nelp
7 Vicinity	21 (across) slush
8 millibar	(down) stand
9 medical	zz (across) bump
10 expect	(down) belly
11 extinguisher	23 drunk
12 tractor	24 roger
13 rescue	25 glide
14 icing	26 fuel
15 knot	27 burst
16 landing	28 tug

Transcripts

UNIT 1 EXERCISE 1

Exchange 1

Ground Er ... 363, start up and push at 05.
Tower, er 363, just started pushing back now. You do know there's another plane

pushing back from the next stand?

Ground Say again 363.

Pilot 363 There's another pushing back on the next

stand. We've had to stop.

Ground Er, 363, stand number give me.

Pilot 363 Er, say again.

Ground Number give me. Your number, please?

Pilot 363 Er - we're 363.

Ground No, I ask you stand number.

Pilot 363 Oh, you want our stand number. Yeah

- we're on Charlie 61. 363.

Ground 363, you not C63?

Pilot 363 Negative. We're definitely on Charlie 61.

363.

Ground Ah! Sorry, sir. Stand Charlie 61.

Exchange 2

ATC X7420, confirm heading 040.

Pilot X7420 Roger, heading 040.

ATC X7420, turn right, heading 340.

Pilot X7420 Did you hear that? He did say right, didn't

he? Er - can you confirm that, please?

X7420.

ATC X7 - er - X - er 420. Right turn heading 3

- er - 40. Climb - er - flight level 1 - er - 00.

Pilot X7420 That's what I thought. Does this guy know

right from left? I'm sure that should be left

- I'm going to check again.

Er - Control - please confirm right onto

heading 340. X7420.

ATC X7420, turn – er – right – er – heading 340.

Pilot X7420 Roger, OK. We're at 3800. If that's what he

wants, that's what we'll do.

ATC X7420, turn left, left. I say again – turn left!

UNIT 1, EXERCISE 3

Communication 1

5 Gatwick Approach, Speedbird 209. Flight level 110. Heading 100. ETA Isle of Mann 1005.

Communication 2

Shanwick Control, BD744A requesting Oceanic clearance. Estimating 58 West, 10 North at 1310 UTC. Requesting flight level 350, Mach .80.

Communication 3

Speedbird 567A is cleared 16 000 on 1010 hectopascals. Expect to cross GOOSE – Golf Oscar Oscar Sierra Echo – level at 120, speed 250 knots.

Communication 4

London Control, United Air 955. Flight level 90. Heading 230. ETA Saint Abbs Head 1005.

Communication 5

Roger Prestwick, 317A is cleared 58 North, 10 West, 60 North, 20 West, 60 North, 30 West, 60 North, 40 West, 58 North, 50 West, PORGY—Papa Oscar Romeo Golf Yankee. Maintain 350 Mach .80.

Communication 6

UK Air 298A Heavy. Taxi to hold R for runway 31. QNH 1016. FALCON 4F departure. FALCON – Foxtrot Alpha Lima Charlie Oscar November. Squawk 7412.

UNIT 1, EXERCISE 6

Exchange 1

Er – yeah. Good morning there, Quality 405. A departing 747 reported wind shear at 800 feet. Airspeed loss 25 knots, strong right shift. Let me know if you have a problem, please. And – have a nice flight! Bye.

Exchange 2

BAW 456 Speedbird 456 request descent.

Approach Speedbird 456 maintain flight level 260

expect descent after HERON.

BAW 456 Maintaining flight level 260. Speedbird

456.

Exchange 3

038-NT Bellevue Tour, 038-NT, nous avons les

installations en vue. Pourrait-on envisager une approche à vue main droite pour la 31

droite?

Tower 038-NT, vous me confirmez le terrain en

vue?

N97962 Er - Bellevue Tower. Stinson N97962.

Request vectors to base-leg 31 right.

Tower Stinson N97962. Yeah – go ahead ...

Affirm NT, nous avons les installations en

(Ie

Tower Alors autorisé approche à vue main droite

31 droite, NT.

N97962 Er – Bellevue Tower Stinson N97962, I say

again. Request vectors to base-leg 31 right.

Exchange 4

A48BX BX ready for take-off request left turn out

heading 300 degrees.

BX, left turn cleared. After departure climb Departure not above altitude 2000 feet until reaching

zone boundary.

Left turn approved. Climbing to 2000 feet Aa8BX

until reaching zone boundary. BX.

Exchange 5

Er - hi, there N526. You've got a south westerly blowing in there. Around about 10 knots. You're OK to land, Runway 28.

UNIT 1, EXERCISE 7

Blaze 606

Tukubu Tower, Blaze 606. We have a problem and we'd like a priority landing. We have a violent passenger on board.

Tower 1 Say again 606, I don't understand. We have an unruly passenger on board. Blaze 606

We have a violent passenger. He has hit a member of the cabin crew. Request priority landing.

Tower 1 606, I'm sorry, sir. I do not understand your problem, sir.

This passenger is endangering the safety of Blaze 606 the flight. He is drunk.

The safety of the flight is in danger? Tower 1

Blaze 606 Affirm. We have an aggressive passenger.

We need to get on the ground as soon as

Tower 2

606, understand you have a problem with a passenger, sir? Do you need medical

assistance?

Negative. We have a medical doctor on Blaze 606 board and do not need medical assistance. We need services to remove this unruly

passenger from the plane.

Tower 2 606, the police and the airport authorities

will meet you, sir.

UNIT 1, EXERCISE 11

Exchange 1

Wolfair 60, good morning. Identified. Approach

Proceeding into Alba. Vectoring 05.

Direct Alba 05, Wolfair 60. Can I keep up Wolfair 60 this high speed a bit longer? Wolfair 60.

Wolfair 60. For the time being, yes. I'll get Approach

back to you in a minute.

Exchange 2

B67, will you let me know what your Tower

intentions are for the main landing gear?

Roger. We'll try to lower the gear again, B67

but if I'm still unable to release the nose gear - if it still stays up - then we'll land

with all three up. B67.

Tower B67, do you want to come in for a low

pass? We can check out your landing gear

when you pass over.

B67 OK, roger, B67.

B67, have you got the field in sight? Tower *B*67 B67, affirm. When I get to you the gear

should be down. B67.

B67, roger. OK, make a low pass over Tower

runway 23 for a landing gear check.

UNIT 2. EXERCISE 8

60 Exchange 1

BR 553 Luton Tower, Big Red 553. Radio check

Tower Big Red 553, Luton Tower. Readability 5.

BR 553 Big Red 553.

Exchange 2

963, it looks as though your pitot head Tower

cover is still on. Would you please check?

UNIT 2, EXERCISE 9

Exchange 1

BAW 305 Ground, Speedbird 305. Radio check box 1

on 119.4.

Say again, calling. Ground

Speedbird 305. I want to do a radio check BAW 305

on box 1. 119.4, please.

Ground Sorry - you're totally unreadable.

Exchange 2

FDX 36 Er, yes. Ground, I want to check on the

load today, Fedex 36.

Ground Fedex 36, go ahead, sir.

FDX 36 I've got a quantity of aerosols - for

> insect spraying. They're OK - but I've got a live snake on board, and there's no

documentation. Fedex 36.

Fedex 36, no sir. There's no special Ground

documentation needed.

FDX 36 You're sure? Won't I need documents on

arrival in Kuala Lumpur? Fedex 36. Fedex 36 no, it's fine sir. You don't need

Ground any documents for Malaysia now.

Exchange 3

B344 Ground, request start up. B344.

Sorry, B344. I've no flight plan for B344. Ground

Stand by, I'll check you out.

Ground, the plan was filed a couple of B344

hours ago. B344.

B344, my apologies. The computer has Ground

failed again and so that's obviously the

B344 While we're waiting for our clearance, is

there a clear area we can taxi to? I want to

do a run-up. B344.

B344, stand by. I'll get back to you very Ground

shortly.

OK, er, B344 - I have your flight plan. Start up approved. The temperature is plus 17.

UNIT 2, EXERCISE 14

Gatwick Information Hotel, 1755 automated weather. Wind 260 degrees, 15 knots, gusting 27 knots, visibility 6 kilometres, light snow, broken 2600, overcast 3500. Temperature -5, dew point -11, QNH 997 hectopascals. ILS runway 23 left approach in use. Landing runway 23 left, departing runway 23 right. Notice to airmen runway 18 closed. Read back all runway assignments and hold short instructions. Use caution for birds in the vicinity of the active runway. Advise the controller on initial contact you have Hotel.

UNIT 2, EXERCISE 15

Luton International information Bravo, weather at 1355 UTC. Wind 300 at 8 knots, visibility 5 kilometres. Few 1200, scattered 3000, overcast 5000, temperature 15, dew point 8. QNH 998 hectopascals. IFR approach is ILS or visual, runway 26 left and runway 26 right. Departures, runway 26 right. GPS approaches available. VFR aircraft say direction of flight. All aircraft read back all hold short instructions. Inform ATC that you have information Bravo.

Message 1

Lahoa FIR SIGMET timed 1200 hours. Volcanic cloud reported drifting south west of Lahoa From 2000 up to 10 000 feet.

Message 2

Tripoli VOLMET special broadcast at 0030. Heavy sandstorm reported south of Tripoli from ground level up to 9000 feet. Tripoli airport closed. Special SIGMET.

Message 3

Antalya VOLMET special broadcast at 1000. Antalya airport closed due to earth tremors.

Message 4

X-1234, heavy storms approaching the vicinity of the airport. Also, severe wind shear reported at 800 feet during last 30 minutes. Suggest you delay your departure.

Message 5

Strong wind warning. Initially gusts around 25 knots but gradually increasing during the afternoon to reach 35 knots by 2000 Z.

UNIT 3, EXERCISE 2

3

UAL 439	United 439 holding on taxiway L.
Ground	United 439, hold position. There's an
	aircraft de-icer at stand 62 blocking your
	stand. BA Bus Number 5, where are you?
Bus 5	Stand 52, waiting to depart. Number 5 Bus.
Ground	Roger, BA bus. Hang on. I've got a fire
	tender outbound at taxiway B, repeat B.
Bus 5	Roger that, Holding.
RYR 372	Ryanair 372 request push back stand 53.
Ground	Push back approved, 372.
UAL 439	United 439 holding on taxiway L. Is there a
	problem at stand 63?
Ground	Hold position, 439. There's a maintenance
	truck leaving your stand.
	Ryanair 355 proceed to intersection MA,
	hold short of the runway. Expect delay. A
	sweeper is still clearing runway o5.
UAL 439	United 439 holding on L.
Ground	Stand by, 439.
RYR 355	Ryanair 355 holding short of runway 05.
Ground	355, line up and wait. The sweeper is
	leaving the runway.
	Cleared for take-off.
RYR 355	Cleared for take-off, Ryanair 355.

	UNIT 3,	EXERCISE 4
0	Ground	Tug 3, report when ready to vacate stand 6. Lufthansa 158 approaching.
7	KLM 219	Ground, KLM 219 runway 24 clear, Holding.
	11.00 2.59	Listen, can I change stand? I have to be
		near our maintenance area. I have a flat
		tyre on the nose gear.
	Ground	KLM, 219, do you need a push-back tug?
	Tug 3	Hang on a minute. Hello. Hello. I can't
		hear. I've got a radio problem. Tug 3.
	Ground	Lufthansa 158, slow down, taxi slowly to
		intersection D4. KLM 219, stand by.
		Tug 3, vacate stand 6. Report.
	DLH 158	Taxiing slowly. Stand 6 in sight and still
		blocked. Request stand change. Lufthansa
		158.
	KLM 219	KLM 219, still holding. Did you get my
		message? Confirm stand, please.
	Tug 3	Ground, read you now. Stand 6 vacated.
		Tug 3.
	Ground	Roger Tug 3. Lufthansa 158, stand 6 is
		cleared. Proceed straight ahead. Break
		break KLM 219, hold position. Give way to 757 on taxiway Z.
	KLM 219	Holding postion, KLM 219.
	DLH 158	Stand 6 confirmed. Lufthansa 158.
	Ground	KLM 219, stand 19 is clear. A maintenance
	Gruana	truck is on its way for your flat. Taxi with
		caution due to works. Keep well to the left.
	KLM 219	Stand 19. Hey, I can see lots of works.
		Request closest available stand. KLM 219.
		,

Ground	This is it, KLM confirm stand 19.
Works 24	Ground, request proceed to construction works near stand 19.
Ground	Hold Works 24, stand 19 already has a fuel tanker waiting and a push-back tug there, and I can see heavy plant nearby. Is this urgent Works 24?
Works 24	Negative, Ground, I can wait until the heavy has refuelled.
KLM 219	KLM 219, I don't want to be difficult, but with a flat tyre, I need the nearest stand available. Is that possible?
Ground	Negative. Turn right onto L, taxi with caution, go beyond the works to stand 19. Confirm, KLM 219.
KLM 219	Confirm stand 19. KLM 219.

UNIT 3, EXERCISE 10

60	1	Be informed. Centreline lights out of order on
19		runway 27.

- 2 Caution. Construction work at the edge of the taxiway. It's marked by red flags.
- Be advised. Ice reported at the holding area. Braking action poor. Caution.
- Be advised. Standing water at the midpoint on the runway.
- Caution. Slush on stand E40.
- Be advised. Edge of apron partly covered with gravel opposite the terminal building.

UNIT 3,	EXERCISE 13
Ground	Finnair 2115, taxi with caution. A snowplough is proceeding to the
	intersection,
FIN 2115	Roger, Finnair 2115.
SIA 107	Singapore 107, de-icing finished more than
	10 minutes ago. The de-icer trucks have
	already left. Request immediate start-up to
	meet my slot time of 25.
Ground	Negative, Singapore 107. You have a new
	slot time of 40, repeat 40.
SIA 107	Singapore 107, confirm new slot time of
	40, but still expect to start-up because de-
	icing is already done. Can you put me on
	request for slot before 40?
Ground	Singapore 107, stand by. I'll call you back
	in a few seconds.
	Finnair 2115 slow down, hold position at
	intersection. Snowplough and sweepers at
	work.
	Singapore 107, slot time still 40.
SIA 107	Roger, Singapore 107.
FIN 2115	Finnair 2115 taxiing slowly to intersection,
	but I can see snowplough is just moving
	off. Should I still hold position?
Ground	Finnair 2115, carry on straight ahead.

Caution watch out for gusting winds, wind

shear reported.

SIA 107 Ground, Singapore 107 request urgent start-up, or I'll have to get de-icing again. Negative, Singapore 107, Expect further Ground delays. Snow banks are building up on compacted snow at the end of the taxiway. SIA 107 How much longer do I have to wait? Singapore 107. Ground I'll call you back in a moment, Singapore 107.

UNIT 3, EXERCISE 15

Ground

Ground	Speedbird 937, push back approved.
BAW 937	Speedbird 937 is pushing back.
Ground	Roger Speedbird 937, taxi to runway 24
	via taxiway B1 to holding point L3. Report
	holding point L3. Wind 180 degrees, 5
	knots. QNH 1010, time 23.
BAW 937	Speedbird 937 to holding point L3 via

taxiway ... Speedbird 937 at holding point L3 ready for immediate departure.

Speedbird 937 maintain position at L3. Wait for landing Airbus 320 to vacate

runway 24. Holding position at L3, waiting for A320 to BAW 937

vacate. Speedbird 937. Speedbird 937 line up and hold. Prepare Ground for departure. 937, er, hold position, I say

again hold position at L3. Cancel line up. Acknowledge.

Holding position at L3, Speedbird 937. BAW 937 Ground Speedbird 937, I can't issue take off clearance. There seems to be a problem. The Airbus 320 has stopped on the runway. Stand by, Speedbird 937.

BAW 937 Roger, Speedbird 937.

UNIT 3, EXERCISE 18

9	Ground	Speedbird 937, the problem seems to
22		be over. The Airbus 320 is being towed
		off runway 24 because of a major engine
		failure. Expect further delay due to
		sweepers clearing debris. It should take no
		more than 5 or 6 minutes.
	BAW 937	Roger. Speedbird 937.
	Ground	Speedbird 937, prepare for immediate

departure. BAW 937 Ready for immediate departure Speedbird

Speedbird 937, runway 24 cleared for take Ground

BAW 937 Runway 24 cleared for take off. Speedbird 937.

UNIT 4, EXERCISE 1

Exchange 1

456, expedite taxi to runway o6 left. Tower Co-pilot 456 Which holding point are we heading for?

Pilot 456

It's usually A, but I'm taking AG. We get a shorter runway, but it's still OK. I never like this runway. That rise in the middle blocks the view. You can't see the other end until

you're at the midpoint.

Tower 456, line up and take off immediately

runway o6 left.

Pilot 456 Taking off. Runway o6 left, 456.

There are vehicles on the runway!

Co-pilot 456 We'll make it. V1 ... rotate.

What the hell ... Pilot 456

Co-pilot 456 Looked like works of some sort.

Control, we've just had a near miss with Pilot 456

some vehicles near the end of the runway.

Tower Yeah, we saw 456. You cleared them by about 50 feet. You entered the runway at

> the wrong point. We do not have the full length available today.

Exchange 2

BVL, for identification purposes, Could you ATC

to turn left heading 340.

BVL identified. Maintain flight level 190. After passing GANET turn left heading 270.

Flight level 190, turn left heading 270. BVL. BVL

Exchange 3

Departure N355, climb flight level 8o. Climbing flight level 90. N355. N355

N355, I say again flight level 80, 80. Keep Departure

at flight level 80 due traffic. You're up at 8600 feet already. Descend immediately.

Did you say flight level 8o? Are you sure? N355

N355.

Affirm, N355. Descend immediately. Departure

There's inbound traffic at 6 miles now,

flight level 90.

Exchange 4

GBL, airborne 1905. Climb straight ahead Departure

heading 050. Report when you're past

5000 feet.

GBL Roger GBL.

Passing 5000 feet. GBL.

GBL, continue climb flight level 120. No Departure

speed restrictions.

Alert Traffic, traffic, Descend, descend.

TCAS descend. GBL. GBL Alert Clear of conflict.

Clear of conflict. Level at 5000. GBL. GBI

GBL, roger. GBL, maintain 5000 feet. Turn Departure.

right heading 090.

GBL, clear of traffic. Heading 350. Continue climb flight level 120 and call on reaching.

Can you confirm climb back 120? GBL. GBL GBL, affirm. Flight level 120. Heading 350. Departure

Do you want to file a report?

Er - affirm ... GBL

Exchange 5

N3E, what's your level? Departure

NaE Just out of 5500 for flight level 150.

Heading oso, N3E.

Departure NaE, are you able to level off at 6000 feet? Affirm, Maintaining 6000 feet, Can I stay on N₃E

same heading? N3E.

N3E, just stay on the same heading for the Departure

time being. You have opposite traffic 7000

feet. Expect further climb shortly.

Exchange 6

D6V, this is en route holding. Make one ATC right hand orbit in your present position and leave on heading 130. Report abeam

HOLLY.

DEV Sorry - we're not very keen on orbiting.

Do you mind if we have a level change

instead? D6V.

D6V, stand by for level change. ATC

> D6V, level change approved. Cleared to 160. Same heading, Expect further clearance at 16. Landing delays at Milan 15

minutes.

Exchange 7

C23 cleared for take off, wind o85 degrees, Tower

Pilot C23 Cleared for take off, C23.

Co-pilot C23 OK, we've got a red on hydraulics - and on

flight controls. Rudder hydraulics on the

Red's everywhere now. Do you want ...

C23, abort your take off. Abort your take

off. You've got smoke coming from one of

your engines. Abort your take off.

Co-pilot C23 Aborting take off, Where's the smoke

coming from?

It appears to be from the central engine by Tower

the looks of it - number 2.

Pllot C23 Closing down number 2.

Exchange 1

Tower

Did you say you checked the QNH setting? A

Yeah, it's fine. B

Exchange 2

Are you sure you want us to use taxiway X?

Sorry, no. Taxiway P.

Exchange 3

Sorry, can we use runway 23 instead of runway 28? A

Yep, that's fine.

Exchange A

- Did you say you wanted medical assistance?
- B Yes, please.

Exchange 5

- A Can I change to flight level 350 rather than 310?
- B As you wish. Flight level 350.

Exchange 6

- A Can you confirm you've reached flight level 150?
- B Sure just approaching 150 now.

UNIT 4, EXERCISE 5

0	Tower	L556, are you ready for departure?
6	Pilot L556	Ready, L556.
	Tower	L556, cleared for take off. Wind 270 degrees, 5 knots.
	Pilot L556	Cleared for take off. L556.
	Tower	L556, be advised, helicopter at the end of runway 27 left.
	Pilot L556	Rolling. We have no visual contact. No helicopter in sight. L556.
	Tower	L556, yes sir. Helicopter at the end of the runway. He's just come from the north. Continue departure.
	Pilot L556	We have no visual with helicopter. Are you sure? L556.
	Tower	Ah – L556, the helicopter is above the runway, sir.
	Pilot L556	What? He's not even on the ground?
		6 Ah! I've got him. No conflict. Over there, look! He's hovering about 100 feet up

Pilot L556 Where? Co-pilot L556 Well over to the right. Beyond the car park,

behind the trees, next to the chimney. In fact if he gets any closer he'll bump into it! It's fine. No problem. He's well below our path.

at 3 o'clock. Across the airfield near the chimney. Just in front of that large building.

UNIT 4, EXERCISE 9

Communciation 1

YB, look out for slow-moving traffic 6 miles ahead of you. You'll pass over him.

Communciation 2

YB, avoiding action. Turn left immediately heading 270 degrees, opposite traffic at 12 o'clock.

Communciation 3

YB, traffic on your left. 6 miles overtaking. Same level.

Communciation 4

YB, be informed. Fast-moving traffic at 2 o'clock, 6 miles crossing right to left. 1000 feet below.

Communciation 5

YB, conflicting traffic at 9 o'clock.

Communciation 6

YB, traffic 3 o'clock, 8 miles parallel. DC10 1000 feet below, climbing.

Communciation 7

YB, maintain flight level 80 due converging traffic 10 o'clock, 15 miles, 1000 feet below. Maintain 80 until further advised.

Communciation 8

YB, you're well clear of traffic. He's diverging away from you. In your 2 o'clock position.

UNIT 4, EXERCISE 12

)	ATC	B550 we have a report of some vapour
9		streaming aft of you.
	B550	Tumbiki Control, thanks. Sounds like we're losing some fuel. We're declaring an emergency. Returning to Tumbiki. B550.
	ATC	B550, roger. Do you want to dump any fuel?
	B550	Affirmative, I'll have to get rid of some. I can't risk any overheating of the brake units. And I certainly don't want any fuel spilling onto hot brakes. B550.
	ATC	B550, do you require any airport services?
	B550	Affirmative. I need some protection, please. Fire and rescue services required. B550.

UNIT 5, EXERCISE 1



6

- Be informed. Weather balloon drifting across your path from right to left. Level unknown, but it's approximately 4 miles north-east of your current position
- Caution. Obstacle warning light on top of Marchwood Power Station inoperable.
- Be advised. Fuel dumping in progress 20 miles east of Aberdeen. Eastbound. Flight level 100. Avoid flight within 5 miles at this level. If within 5 miles remain at least 1000 above or 2000 feet below this aircraft.
- Be informed. In-flight refuelling in progress 5 miles south of Land's End. Likely to continue until 1500
- Fireworks display within 1 mile radius of Exeter, Devon. Planned start time is 2000 and is expected to last 30 minutes. On site contact 791615.

UNIT 5. EXERCISE 4

Communication 1

Be advised. Hang gliding competition at Merthyr. Original start time was ogoo Z. This is now delayed and restrictions for other traffic will become effective at 1115 Z and remain in force until 2059 Z.

Communication 2

Free-fall drop zone established at Land's End 1.5 miles radius of 5006.17N, 0054.023W up to flight level 150. Drop time 1000 UTC. Be advised that there are 2 jump ships cruising at 90 knots, crossing the airway from right to left. Because of the large numbers involved, traffic restrictions have been extended until 1100 UTC.

Communication 3

Be advised, Fighter training over Brecon Beacons was due to start at 1330. This has been brought forward and restrictions will now take effect from 1200 and will last until 2200.

Communication 4

Be advised. The Bath hot air balloon event scheduled for 1000 UTC until 1300 UTC is starting late. Start time is now 1100 UTC and traffic restrictions will be suspended until 1030 UTC. They will now remain in force until 1400 UTC. Expect mass launches of hot air balloons. Up to 35 balloons may participate during each 30 minute launch period and may be found up to 20 miles downwind of launch sites. Pilots are requested to exercise caution in the vicinity. Controlled airspace will be avoided unless approved by ATC.

Communication 5

Laser testing finished early at 0930 UTC, so traffic restrictions in the Hatfield area cancelled.

(%)	Exchan	ige

ATC

33 B333 We didn't expect it so bumpy up here! Would you check if there's any traffic ahead of us? We may need better

separation. B333.

ATC B333, affirm. You have traffic ahead. It's a 747. Must be wake turbulence. Would you like a higher level?

Affirm. We'd certainly like a more B333 comfortable ride. B333.

> B333, roger. Climb flight level 270 it should be free of turbulence. Expect further climb at 45. If you have any further problems, please advise.

Exchange 2

Buck 36 Er, we've got a problem. This is the slowest

climb out ever!

We've lost engine number 1.

Bank angle, bank angle. Alert

Departure Buck 36, something large has fallen off

your plane.

Buck 36 This is more serious than I thought. Declare

an emergency.

Departure Buck 36, are you returning to Lohoa?

Buck 36 Roger, Returning, Buck 36.

Exchange 3

Control, request diversion to the nearest AF-39

airport, AF-39.

AF-39, understand you are requesting ATC

diversion.

Affirm. AF-39

ATC AF-39, turn left heading 270. Can you give

me a reason for the diversion?

Sure. We have a smell of exhaust fumes in AF-39

the cockpit.

ATC Is there any smoke?

Negative. No smoke, but the smell is AF-39

getting stronger. AF-39.

Roger, Continue heading and contact 118.6. ATC

UNIT 5, EXERCISE 12

Exchange 1

B333 OK - we're fine at this level. Next time please give us at least 6 miles behind a

heavy. B333.

Exchange 2

We're turning back to Lohoa. I think it was Виск 36

the engine ... the engine fell off.

Buck 36, say your intentions. Departure

Buck 36 We are going to maintain this heading.

We're having problems with speed and

with flight controls. Buck 36.

Buck 36, roger. Choose your runway. We'll Departure

clear everything. Are you able to maintain

terrain clearance?

Buck 36 Affirmative, We are maintaining 1500 feet.

We need to get rid of fuel. Buck 36.

Buck 36, roger. Departure

All right. I want runway 6 left. Buck 36

Departure Buck 36, runway 6 left, cleared to land.

Buck 36 All right. All right. We're landing 6 left.

Buck 36.

Buck 36, all the gear appears good. Departure

Thank you, Buck 36. Buck 36

Heh-heh ... we did it! Affirm 36. You did a good job! Departure

Exchange 3

Tower

Pan-pan, pan-pan, pan-pan, Fairview AF39 Tower. Fumes in cockpit. Request priority

landing, AF-39 pan-pan.

AF-39 pan-pan, Fairview Tower. You are Tower number one. Cleared to land. Straight in. Runway 17, wind 170 degrees, eight knots.

QNH 1008. Fire service requested.

AF-39 Runway 17, QNH 1008, AF-39 pan-pan.

Take first right when vacated. Contact Fire

Service directly on 118.5.

First right, 118.5. AF-39 pan-pan. AF-39

AF-39, Fire Service 1. Suggest you evacuate FS1

your passengers as soon as possible, sir.

Fire Service 1.

Do I need an emergency evacuation. AF-39

Fire Service 1? We've still got a strong smell of fumes - we may have an oil leak

somewhere.

Negative, AF-39. That won't be necessary. F51

The passengers can disembark normally. The bus is just pulling up now to take them to the terminal. We'll come on board as soon as you're all clear. Fire Service 1.

UNIT 5, EXERCISE 14

Exchange 1

Pilot

We have a passenger with severe chest pain and is clearly not at all well. We've

got him on oxygen.

OK, is the pain a really crushing pain? Doctor

Maybe moving into his jaw or left arm?

Pilot Yes

Doctor Shortness of breath?

Pilot

Have you worked out if ... Doctor

Exchange 2

Pilot

We have a problem with a diabetic patient. He's quite aggressive, but his wife assures us it's because he's diabetic. Apparently he took his insulin before coming on board as he was expecting to eat shortly afterwards. We were delayed though and sat on the tarmac for an hour and a half so he hasn't eaten. His wife is very worried ...

Exchange 3

Pilot

We have a passenger who's had a seizure and the cabin crew are very concerned. She's epileptic apparently, it started off with some twitching of her face and hands, but it's gradually got worse and worse. Her arms and legs have been jerking all over the place. She seems to have stopped that now, but she's not awake.

Doctor

OK - it's not uncommon for an epileptic to lose consciousness. Maybe even for a few minutes, lust make sure she's comfortable and cannot fall and hurt herself ...

Exchange 4

We have a distressed passenger. He's asthmatic and has packed his inhaler in the hold. We don't appear to have a doctor on board. This guy's having lots of trouble breathing.

Doctor

Don't worry that you haven't got a doctor. It's quite manageable. You should find an inhaler in your own medical kit. He'll know how to use it if he uses one regularly ...

Exchange 5

Pllot We have a passenger - a young boy - with

really nasty stomach pains. The crew are very worried it may be appendicitis. If it is,

will we have to divert?

Doctor It's certainly possible, but tell me why they

think it's appendicitis.

Pilot Well - it's really painful - the poor kid's in

agony. The face is really red.

Did it come on suddenly? Doctor Pilot It seems to have done.

And is it made worse by movement? Doctor Pilot Definitely. And his stomach's like a board ...

Exchange 6

Doctor Pilot

Doctor

Do you require medical assistance? Yes, we do, thank you. We've got a passenger who's fallen and cut his head badly. He's bleeding a lot and there's blood everywhere - he's got a massive bruise all down the side of his face, too. Has he lost consciousness at all - or is he

iust ...

UNIT 6, EXERCISE 1

Part 1

Big-B 276, Wessex Approach. Joining the Big-B 276

hold, Maintaining 8000 feet. 276, maintain 8000 feet. We are Approach

experiencing some delays here.

Big-B 276 What's the problem? 276.

Approach

276, I'm sorry, sir - we had delays earlier today. We had some jet blast damage just behind the threshold. It took a long time to clear it all. That's why everyone's backed

Big-B 276

So how long can I expect to wait? I need to

get down before 2300, don't !?

Approach

Indeed you do, sir. Noise abatement regulations are very strict here. At the moment it's a bit difficult to say - delays will be about half an hour, at least.

Part 2

Wessex Approach, Big-B 276, Can you give Big-B 276

me an update?

I think you may be waiting quite a while. Approach

I'll get back to you shortly.

You can now descend in the hold to 6000 feet. Report passing 7000. And if you could reduce to - er - 180 - that'd be good. Just for a bit of spacing from the one ahead of

Roger, Out of 8000 feet for 6000 feet. 276. Big-B 276

Part 3

Approach

Big-B 276, Wessex Approach. I'm sorry sir, but I'm going to have to divert you to Exeter. There isn't time to get you on the

ground before the night noise curfew takes effect. Climb immediately to 9000 feet heading ...

UNIT 6, EXERCISE 5

Good evening, ladies and gentlemen. This is the captain again. I apologize for the delay this evening. I'm afraid there are severe delays at Wessex due to air traffic. Wessex has got a noise abatement curiew, so we can't land after 11 p.m. We've been diverted to Exeter. Please accept our sincere apologies for the inconvenience. We know this will mess up a lot of your plans. The cabin crew will continue to look after you until we reach Exeter. Ground staff in Exeter will be available to make sure you reach your final destination as soon as possible.

UNIT 6 EXERCISE 8

Exchange 1

Tower

Alitalia 29, If you could come back to final approach speed - there are a couple of aircraft want to get off ahead of you.

AZA 20

We're just below 300 metres.

Tower

I'm just waiting for one to get airborne. OK, keep a high speed as much as you can all the way down.

Exchange 2

AFL 339

Aeroflot 339, heading 090 will not take us to the localiser. We should need to turn to the right, turning right heading 110 to establish.

Tower

OK, the radar shows you just about on the centreline now, but you can adjust your heading as required.

Exchange 3

Tower

Speedbird 34, if you're able - reduce to about - er - 190. Continue heading 250.

Exchange 4

DLH 1390

Lufthansa 1390, we are visual. Requesting visual approach. We've got the Aeroflot traffic above us slightly to the left.

Tower

OK, he's going around. You're number 2 in the sequence and you're cleared for a visual right hand runway 10.

Exchange 5

Tower

Austrian 26, OK, you can't land from this approach now. I've put someone ahead of you. Just continue on track oog, please. I'll give you further vectors back to the ILS.

Exchange 6

Tower

Speedbird 440, you're Identified. What's your passing altitude?

60

39

KLM 405

Approach

KLM 405	Petersburg Approach, KLM 405.
Approach	KLM 405, Petersburg Approach. Maintain
	altitude 2400 meters.
KLM 405	KLM 405 maintaining altitude 2400 meters
Approach	Report KE KLM 405.
KLM 405	KE time 26, altitude 2400 meters.
	Estimating OLSON 28. Request descent.
Approach	KLM 405, descend altitude 1500 meters.
KLM 405	Descending 1500 meters. KLM 405.
Approach	Maintain altitude 1500 meters, QNH 1008.
	Report speed 405.

220 knots reducing to 190 knots, 1008,

UNIT 6, EXERCISES 10-11

Roger, KLM 405.

KLM 405.

Information Romeo: 2000 Z scattered 8000, visibility 40-41 14 kilometres, temperature 44, wind 310, 8 knots, altimeter 30.00, expect ILS or visual to runway 24 and 33, advise on first contact you have information Romeo.

UNIT 6. EXERCISE 13

€) 42	Approach	KLM 405, continue heading 270, descend 900 metres, reduce speed 180 knots, and report outer marker for runway 28 left.
	KLM 405	Heading 270, descend 900 metres, reduce speed 180 knots, will report outer marker for runway 28 left. KLM 405.
	Approach	KLM 405, be advised of wet conditions on runway 28 left. A mix of slush and rain. Lots of standing water.
	KLM 405	Approach, can I change runway? KLM 405.
	Approach	Negative. Reports of wet conditions are not critical, but adjust your speed, 405.
	KLM 405	I'm pretty heavy. Listen, I'm overshooting.
	Approach	Confirm 405, are you going around?
	KLM 405	Affirm. 405 is going around, I say again going around.
	Approach	Understood 405 going around. Climb

UNIT 6. EXERCISE 14

straight ahead ...

KLM 405

Approach

Approach, KLM 405, established on ILS 28 right. What's the situation with the runway? KLM 405, surface conditions no better no worse. Runway wet, slush in patches, there's slight aquaplaning reported, braking action good. Continue approach on ILS, you are number 2, number 1 is touching down. Be sure to check your

speed on final.

KLM 405 Thanks, Continuing approach, KLM 405.

UNIT 6. EXERCISE 16

AAL 745 Bradley Approach, American 745 at 8000 feet with Romeo. Roger American 745. Heading 330. Annroach Descend to 5000 feet, vectors to runway 33, traffic pattern for the visual approach. Approach, American 745. We have you in AAL 745 sight. Cleared for visual approach runway 33. Uh, Approach hang on, American 745. We got quite a bit of traffic here today. Do you mind going for runway 24? AAL 745 Runway 24? No problem. Approach OK, set up downwind for 24, steer o6o, American 745. AAL 745 Affirmative, we'll go runway 24. I also need a favour. The crew have just reported a sick passenger. Would you organise an ambulance on arrival? Approach Affirm, American 745. There's an A320 ahead of you on 2 mile short final. Well

UNIT 6. EXERCISE 18

60 Tower F22, Newbury Tower, Turn right heading o6o. Reduce speed to 180 knots.

ahead of you. You are number 2. Cleared

for visual approach runway 24. Contact

Good evening Bradley Tower, American

WHF-22

AAL 745

Tower AAL 745

> Turning right heading o6o. Speed now 200 knots. Turning base leg. F22.

Tower

F22, cleared altitude 2500 feet, Say again 2500 feet. You're already lower than that.

You must stay above 2500 feet.

WHF-22

2500. F22. 2500.

Tower on 120,20.

745 downwind for 24. American 745, cleared to land.

Cleared to land, American 745.

Tower

F22, yes - you're still too low - you have to be above 2500 feet. If you could climb back up to 2500 please and turn right now onto 120 degrees.

WHF-22

Turning 120. F22.

Tower

F22, you are still descending! You must climb now. Climb 2500 feet.

WHF-22

2500 feet. F22.

Tower

F22, climb immediately. There is a mast 4 miles due east of your current position. Height is 1300 feet. When you get to it, it'll

be higher than you.

F22, QNH 982. Can you confirm you are

indicating 1500?

WHF-22

Just got it now and climbing. Reading 2000 feet, F22.

Tower

F22, you can level off at 2000 feet please to intercept the glidepath at 7 miles. You are now clear of the TV mast.

UNIT 7. EXERCISE 5

Pilot 109 80

There's no ECAM message so why don't you check the handbook now, so we can work out how to get this thing down safely.

ATC

ATC

Would you like me to put you through to

vour company?

Co-pilot 105

Possibly. Perhaps you could give me a few minutes to check the handbook and then

call back?

Roger, I'll call you back in 2 minutes, shall !? Thanks.

Ca-pilot 105 Pilot 105

We've no idea whether the whole of the nose gear is damaged. I think we ought to assume it may all collapse when we land.

Co-pilot 105 Sure. Landing with abnormal gear - here it is. First problem is that if the gear collapses then both engine nacelles will contact the runway.

Pilot 105 Co-pilot 105

Couldn't we shut down just as we land? Yeah, you'd better shut down for sure, but I don't think you should leave it too late though. The procedure is to shut down before or during the landing roll. I know you want all the services as long as

possible but if I were you, I'd shut down

sooner rather than later.

UNIT 7, EXERCISE 7

3

TOWER

SAS 105, your company engineers have requested a low pass to inspect the gear. You could do that as soon as you're ready. The engineers will give you a visual inspection of the landing gear.

Pilot 105

Roger, Sounds good. Why don't we come down to about 500 feet?

OK, try it. Fly level past the runway Tower

threshold.

Roger.

OK - we're at 500 feet.

Tower

Yeah, we know, It's not low enough. The

gear's down but we need a much closer look. What about going down to 300 feet?

Pilot 105

Pilot 105

Shall I go down to 200?

Tower

OK, yes. I think you should because it's really difficult to see much at the moment. OK, OK, that's great. Yeah - left nose wheel is definitely missing but the right nose wheel is in place. So, heading 320 climb to 3000 feet. You'll get onward clearance shortly to rejoin the holding stack.

Pilot 105

Roger.

1	UNIT 7,	EXERCISE 8	1	UNIT 8	, EXERCISE 8
60	Approach	SAS 105, what's the fuel situation?	3	Ground	American 99 Heavy, Ground, Left turn on
49	Co-pilot 105		52		22 right, left turn at F, right turn B.
		to wait any longer, It'll be dark soon. SAS		AAL 99	We were given our gate earlier, if it's still
		105.			open, but we need to get past the 757 in
	Approach	OK, SAS 105. I know you didn't specifically			front of us.
		request foam, but expect foam carpet		Ground	99 Heavy, you can go behind the 727 and
		in approximately 15 minutes. How many			continue. Gate 47 is all clear.
		passengers aboard?		AAL 99	It's a 757, Ground.
	Co-pilot 105	237 plus 8 crew. All services needed. SAS		Ground	Oh, OK. Sorry, my strip says 727.
	Approach	105. Roger, 105.		AAL 99	No problem. Taxiing to gate 47, American
	Approven	SAS 105, cleared for straight-in approach.		Ground	99. Delta 31, continue A, hold short of M.
		Runway of left. Wind o25, 10 knots. QNH		DAL 31	A short of M, Delta 31.
		1008. Fire services advised.		Ground	921 Heavy, you're short of MA?
	Co-pilot 105	105 is established.		921	Yes sir, just short of MA. We're cleared into
	Approach	105, continue to reduce speed. The			the gate.
		foam carpet begins 500 metres after the		Ground	Taxi to ramp, good day.
		threshold and continues for further 700			Delta 31, give way to the A320 entering
		metres. 15 metres wide.			taxiway A5. Then continue to MA. Your
	Co-pilot 105	Roger. 105.			stand is 54.
				DAL 31	Ground, the A320 is already past. Ready to
	UNIT 7.	EXERCISE 12			roll, proceeding to MA. Gate 54, Delta 31.
				Maint, 21	Ground, Maintenance 21, stand 27.
3	Exchange 1				Request proceed to work in progress taxiway L.
50	Pilot	What are runway conditions like?		Ground	Stand by Maintenance 21.
	Approach	Braking action is poor and there's heavy slush reported at the far end of the runway.		Ground	Jetblue are you with me again?
		sustreported at the fair end of the furnay.			OK, Maintenance 21 proceed to taxiway L
	Exchange 2	ž			via Z and A.
	Approach	Varig 107, please note some of the		Moint 21	Proceeding to taxiway L via Z and A,
		centreline lights are missing in the			Maintenance 21.
		approach lighting.		Ground	Jetblue, are you back with me again?
	Pilot	107 roger, you can turn off the sequence			Jetblue, are you the one who reported
		flashers. The runway is beautifully clear.			the number of the truck crossing at the
		In fact can you turn the other lights down.			Intersection?
	Approach	They're a bit bright. OK, wilco.		CCA - C-	Just standby one second, OK.
	миргодил	on, wilco.		CCA 982 Ground	China 982, holding ready to taxi. I'm sorry, hold China 982.
	Exchange 3			Ground	Sorry, Freedom Air, say again.
	Approach	EZ250, heavy rain and strong crosswinds		CCA 982	Air China 982 holding.
		reported. Caution. Wind shear on short		Ground	Yes, Air China, I heard you. Who's the
		final.			Freedom Air calling?
				FOM 6182	Freedom 6182 being blocked by Air China,
	Exchange 4				M short of AN.
	ATC	Reduce speed to 140 to avoid running into vortex wake of the A320 ahead of you.		Ground	6182, I have your request, stand by. Air
		voltex wake of the A320 ahead of you.			China what did you want?
	Exchange 5			CCA 982	Air China 982 holding.
	GAB	Pan-pan, pan-pan, pan-pan, Bellevue		Ground	OK Jetblue, what happened with the truck?
		Approach, GAB 737, request emergency		JBU	We came out of W, turned right, and were crossed by a truck. I noted the number. It
		medical support on landing for passenger			was 1097,
		with suspected heart attack. Number 4 to		Ground	You think it was a flat-bed – 1097, mostly
		land on straight-in approach.		Di walla	white?
	ATC	Roger, GAB pan-pan, after landing can you		JBU	Absolutely, it was er it was a tractor
		make it to stand 17 – the nearest available?			pulling a flatbed.
	GAB	What's the distance?		CCA 982	China 982 ready to taxi.
	ATC	It'll take about 12 minutes after vacating		Ground	Ground, China 982, I heard you. Stand by.
	GAB	the runway, GAB pan-pan. Don't think so		CCA 982	Holding. China 982.
	N/18/	EVIT CHIEN SV II.			

JBU It was crossing right at the WA intersection.

I'd appreciate you reporting.

Air China left turn on 22 right, left turn at F, Ground

right turn B to stand 56.

Turn right on 22 right, left turn at ... CCA 982

Negative Air China 982, turn left, repeat

left on 22 right, then left at F, right turn B.

Acknowledge.

Ground

China 982 turn left on 22 right, then left at CCA 982

F, turn right B.

Freedom 6182, wait for Air China heavy to Ground

vacate 22 right. Then continue, turn right at F. Your gate is 52. Caution, construction

work at end of gate.

Freedom 6182 taxiing, right turn at FOM 6182

F, proceeding to gate 52, caution

construction work at 52.

OXFORD

UNIVERSITY PRESS

Great Clarendon Street, Oxford 0x2 6DP

Oxford University Press is a department of the University of Oxford. It furthers the University's objective of excellence in research, scholarship, and education by publishing worldwide in

Oxford New York

Auckland Cape Town Dar es Salaam Hong Kong Karachi Kuala Lumpur Madrid Melbourne Mexico City Nairobi New Delhi Shanghai Taipei Toronto

With offices in

Argentina Austria Brazil Chile Czech Republic France Greece Guatemala Hungary Italy Japan Poland Portugal Singapore South Korea Switzerland Thailand Turkey Ukraine Vietnam

OXFORD and OXFORD ENGLISH are registered trade marks of Oxford University Press in the UK and in certain other countries

© Oxford University Press 2008

The moral rights of the author have been asserted Database right Oxford University Press (maker)
First published 2008
2012 2011 2010 2009 2008
10 9 8 7 6 5 4 3 2 1

No unauthorized photocopying

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without the prior permission in writing of Oxford University Press.

or as expressly permitted by law, or under terms agreed with the appropriate reprographics rights organization. Enquiries concerning reproduction outside the scope of the above should be sent to the ELT Rights Department, Oxford University Press, at the address above You must not circulate this book in any other binding or cover and you must impose this same condition on any acquirer

Any websites referred to in this publication are in the public domain and their addresses are provided by Oxford University Press for information only. Oxford University Press disclaims any responsibility for the content

ISBN: 978 0 19 457943 8

Printed in Spain by Unigraf S.L.

ACKNOWLEDGEMENTS

The publisher would like to thank the following for their kind permission to reproduce photographs and other copyright material: Alamy pp 5 (pilot daytime/G P Bowater), (copilot/David R. Frazier Photolibrary,Inc.), (cabin crew/Picture Contact), (passengers/mediacolors), 8 (David Noton Photography), 9 (AGStockUSA,Inc.), 11 (rumway/Richard Cooke), (aeroplane/ Steven May), 13 (helicopter/Andrew Stevens), 19 (stormclouds/A.T.Willett), (earthquake crack/mediacolors), (snowdrift/Pixonnet.com), (rain/ ImageState), (hail/Vadym Kharkivskiy), 20 (Picture Contact), 29 (aeroplane takeoff/Anthony Kay), 37 (biplanes/David Osborn), (weather balloon/ David R. Frazier Photolibrary, Inc.), (fuel dumping/Dave Pattison), (in-flight refuelling/Transtock Inc.), 39 (plane on runway/Elmtree Images), (plane in flight/Anthony Nettle), (vintage plane/Mark Baigent), 44 (Coaster), 67 (A380/Anthony Nettle); Photo (c) BAA Limited pp 5 (air traffic controller). 13 (Airbus A300), (gulfstream jet), 29 (fog), (repairs), 53; Copyright (c) Boeing p 67 (boeing); Thomas Bracx p 60 (Transat); Courtesy Cessna Aircraft Company p 13 (Cessna Skycatcher); Corbis cover (aeroplane sunset/moodboard), (runway sunset/Bob Krist), pp 12 (moodboard), 19 (windswept trees/Jim Reed), 57 (George Steinmetz); Getty Images cover (cockpit/Michael Dunning); Norbert Gratzer p 55; Stephen Innes/ Aerocorp International p 13 (amphibious plane); (c) iStockphoto.com pp 7 (kkgas), 19 (volcano plume/subemontes), (sandstorm/pancaketom), 37 (explosion/icholakov), (hanglider/BirdofPrey), (skydiver/Fly_Fast), 45 (halbergman), 67 (woman with scarf/VikramRaghuvanshi), (woman with grey hair/YinYang); (c) Jeppesen Sanderson, Inc. 2008 p 49; Reproduced with permission of Jeppesen Sanderson, Inc. NOT FOR NAVIGATIONAL USE: Heather Marsden p 43: Willem Johannes Meyer p 35; morgueFile pp 13 (Airbus A380/o0o0xmods0o0o), 19 (birds) rollingroscoe), (slush/Kevin Connors); Oxford University Press pp 37 (hot air balloons/Comstock), 67 (young man curly hair/Digital Vision), (older man/Photodisc), (young blond man/Gareth Boden), (brown haired boy/ Steve Skjold); PunchStock p 5 (cockpit/image 100).

The authors and publishers would like to thank the following teachers and aviation professionals who assisted in the development of this book: Dilso C. de Almeida, Aviation English Teacher, DCA Learning; Cécile Blazejczak-Boulegue, B-737 First Officer, Europe Airpost; Alexandra Burow, English Language Lecturer, Emirates Aviation College; Yuliya Cheprassova, Pseudopilot for ATC simulators training; Cybele Gallo, Language Rater, Brazilian CAA, and aviation English teacher; Teresa Greco, Istituto Tecnico Orion; Stephen Innes, Chief Pilot, Aerocorp International, and International Operations and Planning. Bombardier Aerospace; Ron Jenkins, Consultant to the Joint Aviation Authorities, and Director, Global Aviation Language Limited; Robert Mathews, Coordinator, Qatar Aeronautical College; Gábor Sipos, language expert, Budapest; Nancy Young, English Trainer, French Civil Aviation

The authors would like to thank Lewis Lansford for all his help in the preparation of this course.

English for Aviation

EXPRESS SERIES

English for Aviation is part of the EXPRESS SERIES. It has been designed to help students reach ICAO Operational Level 4. It can be used to supplement a regular coursebook, on its own, as a stand-alone intensive specialist course, or for self-study. **English for Aviation** will help pilots and air traffic controllers with standard phraseology as well as improve plain English in the skills areas specified by ICAO.

Key Features of the Book

- An introductory unit on air communications and a closing unit on end-of-flight ground movements
- · Units in sequence from pre-flight via en-route events to landing
- Activities to practise the ICAO skills areas of pronunciation, structure, vocabulary, fluency, comprehension, and interactions
- Partner files for role-plays
- Audio transcripts

Key Features of the Audio CD

- A complete range of authentic radio telephony extracts
- A mix of native and non-native speaker accents

Key Features of the CD ROM

- Interactive exercises to practise structure, vocabulary, and listening comprehension
- A–Z word list

For ICAO compliancy practice tests, visit www.oup.com/elt/express

OXFORD UNIVERSITY PRESS





www.oup.com